

## References

- Adams CD. 1972.** *Flowering plants of Jamaica*. Glasgow: Robert MacLehose and Company Ltd.
- Aguilar-Ortigoza CJ, Sosa V. 2004.** The evolution of toxic phenolic compounds in a group of Anacardiaceae genera. *Taxon* **53**: 357–364.
- APG II - The Angiosperm Phylogeny Group. 2003.** An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* **141**: 399–436.
- APG III - The Angiosperm Phylogeny Group. 2009.** An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Botanical Journal of the Linnean Society* **161**: 105–121.
- Appelhans MS, Smets E, Baas P, Keßler PJA. 2010.** *Cneorum* (Rutaceae) in Cuba? The solution to a 150 year old mystery. *Taxon* **59**: 1126–1134.
- Appelhans MS, Smets E, Razafimandimbison SG, Haevermans T, van Marle EJ, Cou-loux A, Rabarison H, Randrianarivojosia M, Keßler PJA. 2011.** Phylogeny, evolutionary trends, and classification of the *Spathelia* / *Ptaeroxylon* clade: morphological and molecular insights. *Annals of Botany* **107**: 1259–1277.
- Appelhans M, Weber HC, Imhof S. 2008.** Rutaceae sampled from Germany, Malta, and Mallorca (Spain) are associated with AMF clustering with *Glomus hoi* Berch & Trappe. *Mycorrhiza* **18**: 263–268.
- Archer R, Reynolds Y. 2001.** *Ptaeroxylon obliquum*. Website: <http://www.plantzafrica.com/plantnop/ptaeroxylonobliq.htm> [accessed: 19.06.2011].
- Baas P, Gregory M. 1985.** A survey of oil cells in the dicotyledons with comments on their replacement by and joint occurrence with mucilage cells. *Israel Journal of Botany* **34**: 167–186.
- Bachelier JB, Endress PK. 2009.** Comparative morphology and anatomy of Anacardiaceae and Burseraceae (Sapindales), with special focus on gynoeceum structure and evolution. *Botanical Journal of the Linnean Society* **159**: 499–571.

**Baillon H. 1893.** *Cedrelopsis*. In: Grandidier A, ed. *Histoire Physique, Naturelle et Politique de Madagascar*. Paris: L'Imprimerie Nationale, Atlas 2, t. 257.

**Bakker ME, Gerritsen AF. 1992.** Oil and mucilage cells in *Annona* (Annonaceae) and their systematic significance. *Blumea* **36**: 411–438.

**Balde AM, Apers S, De Bruyne TE, Van den Heuvel H, Claeys M, Vlietinck AJ, Pieters LA. 2000.** Steroids from *Harrisonia abyssinica*. *Planta Medica* **66**: 67–69.

**Balgooy MMJ. 1998.** *Malesian seed plants – vol. 2: Portraits of tree families*. Leiden: Rijksherbarium, Hortus botanicus.

**Bayer RJ, Mabberley DJ, Morton C, Miller CH, Sharma IK, Pfeil BE, Rich S, Hitchcock R, Sykes S. 2009.** A molecular phylogeny of the orange subfamily (Rutaceae: Aurantioideae) using nine cpDNA sequences. *American Journal of Botany* **96**: 668–685.

**Bentham G, Hooker JD. 1862.** *Genera Plantarum vol. 1*. London: Reeve.

**Beurton C. 2008.** Rutaceae. In: Greuter W, Rankin Rodriguez R, eds. *Flora de la República de Cuba vol. 14*. Ruggel, Liechtenstein: Gantner Verlag KG, 1–134.

**Blenk P. 1884.** Ueber die durchsichtigen Punkte in den Blättern: Simaroubaceae. *Flora* **67**: 291–296.

**Boesewinkel FD, Bouman F. 1984.** The seed: structure. In: Johri BM, ed. *Embryology of Angiosperms*. Berlin, Heidelberg, New York, Tokyo: Springer-Verlag, 567–608.

**Boesewinkel FD. 1984.** Development of ovule and seed coat in *Cneorum tricoccon* L. (Cneoraceae). *Acta Botanica Neerlandica* **33**: 61–70.

**Borhidi A. 1982.** Die Entwicklung der Flora der Antillen im Lichte der Kontinentalverschiebungstheorie. *Stapfia* **19**: 235–241.

**Borhidi A. 1991.** *Phytogeography and vegetation ecology of Cuba*. Budapest: Akadémiai Kiadó.

**Box VG, Taylor DR. 1973.** Chromones from *Spathelia glabrescens*. *Phytochemistry* **12**: 956.

**Bramwell D, Bramwell ZI. 1990.** *Flores sylvestres de las Islas Canarias*. Madrid: Editorial Rueda S.L.

**Bremer B. 1996.** Phylogenetic studies within Rubiaceae and relationships to other families based on molecular data. *Opera Botanica Belgica* **7**: 33–50.

- Browne P. 1756.** *The civil and natural history of Jamaica*. London: Gray's Inn.
- Buerki S, Lowry II PP, Alvarez N, Razafimandimbison SG, Küpfer P, Callmander MW. 2010.** Phylogeny and circumscription of Sapindaceae revisited: molecular sequence data, morphology and biogeography support recognition of a new family, Xanthoceraceae. *Plant Ecology and Evolution* **143**: 148–159.
- Burke BA, Chan WR, Taylor DR. 1972.** Structure and stereochemistry of Spathelin, a new Seco-Ring tetranortriterpene from *Spathelia sorbifolia*. *Tetrahedron* **28**: 425–430.
- Campos AM, Khac DD, Fetizon M. 1987.** Chromones from *Dictyoloma incanescens*. *Phytochemistry* **26**: 2819–2823.
- Caris P, Smets E, De Coster K, Ronse De Craene LP. 2006.** Floral ontogeny of *Cneorum tricoccon* L. (Rutaceae). *Plant Systematics and Evolution* **257**: 223–232.
- Carlquist, S. 1988.** Wood anatomy of Cneoraceae: Ecology, relationships, and generic definition. *Aliso* **12**: 7–16.
- Call VB, Dilcher DL. 1995.** Fossil *Ptelea* samaras (Rutaceae) in North America. *American Journal of Botany* **82**: 1069–1073.
- Chase MW, Morton CM, Kallunki JA. 1999.** Phylogenetic relationships of Rutaceae: a cladistic analysis of the subfamilies using evidence from *rbcl* and *atpB* sequence variation. *American Journal of Botany* **86**: 1191–1199.
- Cheek M, Lescot M. 1991.** Famille 107 bis. – Ptaeroxylacées. In: Morat P, ed. *Flore de Madagascar et des Comores*. Paris: Muséum National d'Histoire Naturelle, 87–117.
- Chiaroni A, Richte C, Khuong-Huu Q, Nguyen-Ngoc H, Nguyen-Viet K, Khuong-Huu F. 2000.** New limonoids from *Harrisonia perforata* (Blanco) Merr. *Acta Crystallographica Section C* **56**: 711–713.
- Chiovenda E. 1916.** *Resultati scientifici della missione Stefanini-Paoli nella Somalia italiana* 1. Firenze: Le collezioni botaniche.
- Chodat R. 1920.** Sur un nouveau *Cneorum*. Le *Cneorum trimerum* (Urb.) Chodat. *Bulletin de la Société Botanique de Genève* **2**: 23–24.
- Clarkson JJ, Chase MW, Harley MM. 2002.** Phylogenetic relationships in Burseraceae based on plastid *rps16* intron sequences. *Kew Bulletin* **57**: 183–193.
- Clayton JW, Soltis PS, Soltis DE. 2009.** Recent long-distance dispersal overshadows ancient biogeographical patterns in a pantropical angiosperm family (Simaroubaceae, Sapindales).

*Systematic Biology* **58**: 395–410.

**Corbett SL, Manchester SR. 2004.** Phylogeography and fossil history of *Ailanthus* (Simaroubaeae). *International Journal of Plant Sciences* **165**: 671–690.

**Corner EJH. 1976.** *The seeds of the dicotyledons*. Cambridge: Cambridge University Press.

**Courchet L. 1906.** Recherches morphologiques et anatomiques sur le Katafa ou Katrafay de Madagascar. *Annales de l'Institut Colonial de Marseille* **2**: 29–118.

**Cowan RS, Brizicky GK. 1960.** Taxonomic relationships of *Diomma* Engler ex Harms. *Memiors of the New York Botanical Garden* **10**: 58–64.

**Cox SC, Carranza S, Brown RP. 2010.** Divergence times and colonisation of the Canary Islands by *Gallotia* lizards. *Molecular Phylogenetics and Evolution* **56**: 747–757.

**Cronquist A. 1978.** *The evolution and classification of flowering plants*. New York: The New York Botanical Garden.

**Dahlgren R. 1989.** The last Dahlgrenogram, system of classification of the dicotyleons. In: Tan K, ed. *The Davis and Hedge Festschrift: Plant taxonomy, phylogeography and related subjects*. Edinburgh: Edinburgh University Press, 249–260.

**Dale IR, Greenway PJ. 1961.** *Kenya Trees & Shrubs*. Nairobi: Buchanan's Kenya Estates Limited.

**Da Paz Lima M, Vieira Rosas L, Da Silva MFDGE, Ferreira AG, Fernandes JB, Vieira PC. 2005.** Alkaloids from *Spathelia excelsa*: Their chemosystematic significance. *Phytochemistry* **66**, 1560–1566.

**Darlu P, Lecointre G. 2002.** When does the incongruence length difference test fail? *Molecular Biology and Evolution* **19**: 432–437.

**Da Silva LL, Paoli AAS. 2006.** Morfologia e anatomia da semente de *Dictyoloma vandellianum* Adr. Juss. (Rutaceae). *Revista Brasileira de Sementes* **28**: 116–120.

**Dean FM, Parton B, Somvichien N, Taylor DAH. 1967.** Chromones, containing an oxepin ring, from *Ptaeroxylon obliquum*. *Tetrahedron Letters* **36**: 3459–3464.

**Dean FM, Robinson ML. 1971.** Heartwood chromones of *Cedrelopsis grevei*. *Phytochemistry* **10**: 3221–3227.

**De Queiroz A. 2005.** The resurrection of oceanic dispersal in historical biogeography. *TRENDS in Ecology and Evolution* **20**: 68–73.

- Diaz M, Preiss A, Meyer H, Ripperger H. 1983.** 5-Methoxy-2,2,8-Trimethyl-10-Senecioyl-2H,6H-Benzo(1,2-b; 5,4-b')Dipyran-6-One from *Spathelia wrightii*. *Phytochemistry* **22**: 2090–2092.
- Dos Santos Moreira WA, da Paz Lima M, Gilberto Ferreira A, Piloto Ferreira IC, Nakamura CV. 2009.** Chemical constituents from the roots of *Spathelia excelsa* and their antiprotozoal activity. *Journal of the Brazilian Chemical Society* **20**: 1089–1094.
- Doyle JJ, Doyle JL. 1990.** Isolation of plant DNA from fresh tissue. *Focus* **12**: 13–15.
- Drummond AJ, Rambaut A. 2007.** “BEAST: Bayesian evolutionary analysis by sampling trees.” *BMC Evolutionary Biology* **7**: 214.
- Drummond AJ, Ho SYW, Phillips MJ, Rambaut A. 2006.** Relaxed phylogenetics and dating with confidence. *PLoS Biology* **4**: 699–710.
- Duarte L, Da Conceição Mella Filha M. 1980.** Flórua Cenozóica de Gandarela, MG. I. *Anais da Academia Brasileira de Ciências* **52**: 77–91.
- Duhamel du Monceau M. 1755.** *Traité des arbes et arbustes qui se cultivent en France en pleine terre. Tome premier.* Paris: H.L. Guerin & L.F. Delatour.
- Ecklon CF, Zeyher C. 1835.** *Enumeratio Plantarum Africae Australis Extratropicae Pars 1.* Hamburg, Perthes & Besser, 54.
- Edgar RC. 2004.** MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research* **32**:1792–1797.
- Engler A. 1895.** VII. Diagnosen neuer Arten und kleinere Mitteilungen. 1. Diagnosen afrikanischer Arten. *Notizblatt des Königlichen Botanischen Gartens und Museums zu Berlin* **2**: 57–80.
- Engler A. 1896.** Rutaceae. In: Engler A, Prantl K, eds. *Die natürlichen Pflanzenfamilien* 3(4). Leipzig: Verlag von Wilhelm Engelmann, 95–201.
- Engler A. 1931.** Rutaceae. In: Engler A, Harms H, eds. *Die natürlichen Pflanzenfamilien – Band 19a.* Leipzig: Verlag von Wilhelm Engelmann, 187–359.
- Epe B, Oelbermann U, Mondon A. 1981.** Neue Chromone aus Cneoraceen. *Chemische Berichte* **114**: 757–773.
- Erdtman, G. 1952.** *Pollen morphology and plant taxonomy - Angiosperms.* Stockholm: Almquist and Wiksell.

- Farris JS, Källersjö M, Kluge AG, Bulk C. 1995.** Testing significance of incongruence. *Cladistics* **10**: 315–319.
- Felsenstein J. 1985.** Confidence limits on phylogenetics: an approach using the bootstrap. *Evolution* **39**: 783–791.
- Felsenstein J. 1988.** Phylogenies inferred from molecular sequences: inference and reliability. *Annual Review of Genetics* **22**: 521–565.
- Fernando ES, Gadek PA, Quinn CJ. 1995.** Simaroubaceae, an artificial construct: evidence from *rbcL* sequence variation. *American Journal of Botany* **82**: 92–103.
- Fitch WM. 1971.** Towards defining the course of evolution: minimum change for a specific tree topology. *Systematic Zoology* **20**: 406–416.
- Flexner A. 1930.** *Universities: American, English, German*. New York: Oxford University Press.
- Friis I, Vollesen K. 1999.** Ptaeroxylaceae. In: Thulin M, ed. *Flora of Somalia. vol. 2*. London: Kew Publishing, 254.
- Gadek PA, Fernando ES, Quinn CJ, Hoot SB, Terrazas T. 1996.** Sapindales: molecular delimitation and infraordinal groups. *American Journal of Botany* **83**: 802–811.
- Gauvin A, Ravaomanarivo H, Smadja J. 2004.** Comparative analysis by gas chromatography-mass spectrometry of the essential oil from bark and leaves of *Cedrelopsis grevei* Baill, an aromatic and medicinal plant from Madagascar. *Journal of Chromatography A* **1029**, 279–282.
- Gentry AH. 1992.** New species of woody plants from Amazonian Peru. *Novon* **2**: 333–338.
- Givnish TJ, Renner SS. 2004.** Tropical intercontinental disjunctions: Gondwana breakup, immigration from the Boreotropics, and transoceanic dispersal. *International Journal of Plant Sciences* **165** (4 Suppl.): S1–S6.
- Goldblatt P. 1976.** New or noteworthy chromosome records in the Angiosperms. *Annals of the Missouri Botanical Garden* **63**: 889–895.
- Goldblatt P. 1979.** Miscellaneous chromosome counts in Angiosperms, II. Including new family and generic records. *Annals of the Missouri Botanical Garden* **66**: 856–861.
- Goodman SM. 2009.** Madagascar. In: Gillespie RD, Clague DA, eds. *Encyclopedia of Islands*. Berkeley: University of California Press, 577–582.
- Graham SW, Kohn JR, Morton BR, Eckenwalder JE, Barrett SCH. 1998.** Phylogenetic congruence and discordance among one morphological and three molecular data sets from Pon-

tederiaceae. *Systematic Biology* **47**: 545–567.

**Gray AI. 1983.** Structural diversity, distribution, and chemotaxonomic significance of Chromones in the Rutales. In: Waterman PG, Grundon MF, eds. *Chemistry and chemical taxonomy of the Rutales*. London, New York, Paris, San Diego, San Francisco, Sao Paulo, Sydney, Tokyo, Toronto: Academic press, 97–146.

**Gregor HJ. 1979.** Systematics, biostratigraphy and paleoecology of the genus *Toddalia* Jus-sieu (Rutaceae) in the European Tertiary. *Review of Paleobotany and Palynology* **28**: 311–363.

**Gregor HJ. 1989.** Aspects of the fossil record and phylogeny of the family Rutaceae (Zanthoxyleae, Toddalioideae). *Plant Systematics and Evolution* **162**: 251–265.

**Groppo M, Pirani JR, Salatino MLE, Blanco SR, Kallunki JA. 2008.** Phylogeny of Rutaceae based on two noncoding regions from cpDNA. *American Journal of Botany* **95**: 985–1005.

**Groppo M. 2010.** New synonyms in *Hortia* and *Dictyoloma* (Rutaceae), with validation of the name *Hortia badinii*. *Novon* **20**: 163–165.

**Groppo M. 2011.** Rutaceae. In: Milliken W, Klitgaard B, Baracat A, eds. *Neotropikey - Interactive key and information resources for flowering plants of the Neotropics*. www.kew.org/neotropikey [accessed 22 June 2011].

**Guindon S, Gascuel O. 2003.** A simple, fast, and accurate algorithm to estimate large phylogenies by Maximum Likelihood. *Systematic Biology* **52**: 696–704.

**Hall JC, Iltis HH, Sytsma KJ. 2004.** Molecular phylogenetics of core Brassicales, placement of orphan genera, *Emblingia*, *Forchhammeria*, *Tirania*, and character evolution. *Systematic Botany* **29**: 654–669.

**Hall TA. 1999.** BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series* **41**: 95–98.

**Harbaugh DT, Wagner WL, Allan GJ, Zimmer EA. 2009.** The Hawaiian Archipelago is a stepping stone for dispersal in the Pacific: an example from the plant genus *Melicope* (Rutaceae). *Journal of Biogeography* **36**: 230–241.

**Harms H. 1931.** Nachträge zu Band 19a. In: Engler A, Harms H, eds. *Die natürlichen Pflanzenfamilien – Band 19a*. Leipzig: Verlag von Wilhelm Engelmann, 457–460.

**Harms H. 1940.** Meliaceae. In: Engler A, Harms H, eds. *Die natürlichen Pflanzenfamilien – Band 19b, 2nd edn*. Leipzig: Verlag von Wilhelm Engelmann, 1–172.

**Harrington MG, Edwards KJ, Johnson SA, Chase MW, Gadek PA. 2005.** Phylogenetic In-

ference in Sapindaceae sensu lato Using Plastid *matK* and *rbcL* DNA Sequences. *Systematic Botany* **30**: 366–382.

**Hartley TG. 1974.** A revision of the genus *Acronychia* (Rutaceae). *Journal of the Arnold Arboretum* **55**: 469–568.

**Hartley TG. 1981.** A revision of the genus *Tetradium* (Rutaceae). *Garden's Bulletin, Singapore* **34**: 91–131.

**Hartley TG. 2001.** On the taxonomy and biogeography of *Euodia* and *Melicope* (Rutaceae). *Allertonia* **8**: 1–341.

**Heinicke MP, Duellman WE, Hedges SB. 2007.** Major Caribbean and Central American frog faunas originated by ancient oceanic dispersal. *Proceedings of the National Academy of Sciences* **104**: 10092–10097.

**Hewson HJ. 1985.** Simaroubaceae. In: George AS, ed. *Flora of Australia*. Canberra: Australian Government Publishing, 188–197.

**Hoernle K, Carracedo JC. 2009.** Canary Islands, Geology. In: Gillespie RD, Clague DA, eds. *Encyclopedia of Islands*. Berkeley: University of California Press, 133–143.

**Hoot SB, Culham A, Crane PR. 1995.** The utility of *atpB* gene sequences in resolving phylogenetic relationships: comparison with *rbcL* and 18S ribosomal DNA sequences in the Lardizabalaceae. *Annals of the Missouri Botanical Garden* **82**: 194–207.

**Hua P, Hartley TG. 2008.** Cneoraceae. In: Wu ZY, Raven PH, Hong DY, eds. *Flora of China, vol. 11. (Oxalidaceae through Aceraceae)*. Beijing: Science Press; St. Louis: Missouri Botanical Garden Press, 98–99.

**Hultin E. 1965.** Alkaloid-screening of plants from Boyce Thompson Soutwestern Arboretum. *Acta Chemica Scandinavica* **19**: 1297–1300.

**Iturralde-Vincent MA, MacPhee RDE. 1999.** Paleogeography of the Caribbean region: Implications for Cenozoic Biogeography. *Bulletin of the American Museum of Natural History* **238**: 1–95.

**Jansen S, Kitin P, De Pauw H, Idris M, Beeckman H, Smets E. 1998.** Preparation of wood specimens for transmitted light microscopy and scanning electron microscopy. *Belgian Journal of Botany* **131**: 41–49.

**Johri BM, Ambegaokar KB, Srivastava PS. 1992.** *Comparative embryology of Angiosperms vol. 1*. Berlin, Heidelberg, New York, London, Paris, Tokyo, Hong Kong, Barcelona, Budapest: Springer Verlag.



- Kallunki JA. 2005.** Rutaceae. In: Steyermark JA, Berry PE, Yatskievych K, Holst BK, eds. *Flora of the Venezuelan Guayana vol. 9: Rutaceae – Zygophyllaceae*. St. Louis: Missouri Botanical Garden Press, 1–39.
- Kamiuchi K, Mitsunaga K, Koike K, Ouyang Y, Ohmoto T, Nikaido T. 1996.** Quassinoids and limonoids from *Harrisonia perforata*. *Heterocycles* **43**: 653–664.
- Khuong-Huu Q, Chiaroni A, Riche C, Nguyen-Ngoc H, Nguyen-Viet K, Khuong-Huu F. 2000.** New rearranged Limonoids from *Harrisonia perforata*. *Journal of Natural Products* **63**: 1015–1018.
- Kiew R. 2001.** *Harrisonia*. In: Van Valkenburg JLCH, Bunyapraphatsara N, eds. *Plant Resources of South-East Asia, No. 12(2), Medicinal and poisonous plants 2*. Leiden: Backhuys Publishers, 288–290.
- Knobloch E, Mai DH. 1986.** Monographie der Früchte und Samen in der Kreide von Mitteleuropa. *Rozprawy Ústředního ústavu geologického* **47**: 1–219.
- Koch K. 1869.** *Dendrologie vol. 1*. Erlangen: Verlag von Ferdinand Enke.
- Koorbanally NA, Randrianarivelosia M, Mulholland DA, van Ufford LQ, van den Berg AJJ. 2002.** Bioactive constituents of *Cedrelopsis microfoliolata*. *Journal of Natural Products* **65**: 1349–1352.
- Krause K. 1914.** Plantae Uleanae novae vel minus cognitae. Rutaceae. *Notizblatt des Königlichen Botanischen Gartens und Museums zu Berlin* **55**: 143–149.
- Kubitzki K. 2011.** Introduction to Sapindales. In: Kubitzki K, ed. *The Families and Genera of Vascular Plants vol. 10*. Berlin: Springer Verlag, 1–3.
- Kubitzki K, Kallunki JA, Duretto M, Wilson PG. 2011.** Rutaceae. In: Kubitzki K, ed. *The Families and Genera of Vascular Plants vol. 10*. Berlin, Springer Verlag, 276–356.
- Labat J-N, Pignal M, Pascal O. 2005.** Deux espèces nouvelles et une combinaison nouvelle chez les Rutaceae de l'Archipel des Comores. *Monographs in Systematic Botany from the Missouri Botanical Garden* **104**: 361–369.
- Langenhoven JH, Breytenbach JC, Gerritsma-Van der Vijver LM, Fourie TG. 1987.** An antihypertensive chromone from *Ptaeroxylon obliquum*. *Planta Medica* **54**: 373.
- Lavaud C, Massiot G, Vasquez C, Moretti C, Sauvain M, Balderrama L. 1995.** 4-quinolinone alkaloids from *Dictyoloma peruviana*. *Phytochemistry* **40**: 317–320.
- Lee WK, Kim MJ, Heo K. 2004.** Phylogeny of Korean *Rhus* spp. based on ITS and *rbcL* se-

quences. *Korean Journal of Medicinal Crop Science* **12**: 60–66.

**Leroy JF, Lescot M. 1991.** Famille 107 bis. - Ptaeroxylacées. In: Morat Ph, ed. **Flore de Madagascar et des Comores**. Paris: Muséum National d'Histoire Naturelle, 87–117.

**Leroy JF, Lobreau-Callen D, Lescot M. 1990.** Les Ptaeroxylaceae : espèces nouvelles du genre malgache *Cedrelopsis* et palynologie de la famille. *Bulletin du Muséum National d'Histoire Naturelle, Paris, Section B, Adansonia. Botanique Phytochimie 4e série* **12**: 43–57.

**Leroy JF. 1959.** Contributions à l'étude des forêts de Madagascar. V. Sur une petite famille de Sapindales propre à l'Afrique australe et à Madagascar: les Ptaeroxylaceae. *Journal d'agriculture tropicale et de botanique appliquée* **6**: 106–108.

**Leroy JF. 1960.** Contributions à l'étude des forêts de Madagascar. Complément à la note V sur les Ptaeroxylaceae. *Journal d'Agriculture Tropicale et de Botanique Appliquée* **7**: 455–456.

**Les DH, Garvin DK, Wimpee CF. 1993.** Phylogenetic studies in the monocot subclass Alismatidae: evidence for a reappraisal of the aquatic order Najadales. *Molecular Phylogenetics and Evolution* **2**: 304–314.

**Linnaeus C, 1760.** *Amoentitates Academicae ed 5*. Stockholm: Sumtu & Literis Direct. Laurentii Salvii.

**Lisowski S. 2009.** Flore (Angiospermes) de la République de Guinée. Première partie. *Scripta Botanica Belgica* **41**: 517p.

**Lobreau-Callen D, Nilsson S, Albers F, Straka H. 1978.** Les Cneoraceae (Rutales) : étude taxonomique, palynologique et systématique. *Grana* **17**: 125–139.

**Lobreau-Callen D, Jérémie J. 1986.** L'espèce *Cneorum tricoccon* (Cneoraceae, Rutales) représentée à Cuba. *Grana* **25**: 155–158.

**Lobreau-Callen D. 1974.** Problemes de palynologie liés à la dérive des continents. Etude de quelques taxons tropicaux. *Bulletin des sciences géologiques de Strasbourg* **27**: 147–168.

**Lorenzo H, Caujapé-Castells J, Febles R, Pérez de Paz J. 2003.** Isozyme variation in the Canarian endemic *Neochamaelea pulverulenta* (Cneoraceae): Implications for population differentiation in the Canaries and first molecular insights on the floristic link with the Mediterranean. *Bocconea* **16**: 953–959.

**Louppe D, Oteng-Amoako AA, Brink M. 2008.** *Plant resources of Tropical Africa 7(1). Timbers 1*. Wageningen: PROTA Foundation, Blackhuys Publishers.

**Luerssen C. 1881.** *Handbuch der systematischen Botanik*. Leipzig: Verlag von H. Haessel.

- Mabberley DJ. 1998.** Australian Citreae with notes on other Auranthioideae (Rutaceae). *Telopea* 7: 333–344.
- Mabberley DJ. 2008.** *Mabberley's Plant-book: A Portable Dictionary of Plants, their Classifications, and Uses, 3rd edn.* Cambridge: Cambridge University Press.
- Mabberley DJ. 2011.** Meliaceae. In: Kubitzki K, ed. *The Families and Genera of Vascular Plants vol. 10.* Berlin: Springer Verlag, 185–211.
- Magallón S, Castillo A. 2009.** Angiosperm diversification through time. *American Journal of Botany* 96: 349–365.
- McKenna DD, Farrell BD. 2006.** Tropical forests are both evolutionary cradles and museums of leaf beetle diversity. *Proceedings of the National Academy of Sciences* 103: 10947–10951.
- McLoughlin S. 2001.** The breakup history of Gondwana and its impact on pre-Cenozoic floristic provincialism. *Australian Journal of Botany* 49: 271–300.
- McNeill DF, Klaus JS, Evans CC, Budd AF. 2008.** An overview of the regional geology and stratigraphy of the Neogene deposits of the Cibao Valley, Dominican Republic. In: Nehm RH, Budd, AF, eds. *Evolutionary stasis and change in the Dominican Republic Neogene.* Springer Science + Business Media B.V., 21–46.
- Menninger EA. 1962.** *Flowering trees of the world.* 1st edition. New York: Hearthsides press incorporated.
- Melville R. 1967.** The distribution of land around the Tethys Sea and its bearing on modern plant distribution. In: Adams CG, Ager DV, eds. *Systematics Association Publication No. 7, Aspects of Tethyan Biogeography.* London: The Systematics Association: 291–312.
- Metcalf CR, Chalk L. 1957.** *Anatomy of the Dicotyledons vol. 1.* Oxford: Clarendon Press.
- Mole BJ, Udovicic F, Ladiges PY, Duretto MF. 2004.** Molecular phylogeny of *Phebalium* (Rutaceae: Boronieae) and related genera based on the nrDNA regions ITS1+2. *Plant Systematics and Evolution* 249: 197–212.
- Mondon A, Callsen H. 1975.** Extractives from Cneoraceae, IV. Chromones and Coumarins from *Cneorum pulverulentum*. *Chemische Berichte* 108: 2005–2020.
- Mondon A, Epe B, Oelbermann U, Sinnwell V, Remberg G. 1982.** Zur Kenntnis der Bitterstoffe aus Cneoraceen XVII. *Tetrahedron letters* 23: 4015–4016.
- Mondon A, Schwarzmeier U. 1975.** Extractives from Cneoraceae, I. Chemical studies of *Cneorum tricoccum*. *Chemische Berichte* 108: 925–933.

- Morris DC, Schwarz MP, Cooper SJB, Mound LA. 2002.** Phylogenetics of Australian *Aca-cia* thrips: the evolution of behaviour and ecology. *Molecular Phylogenetics and Evolution* **25**: 278–292.
- Morton CM, Grant M, Blackmore S. 2003.** Phylogenetic relationships of the Aurantioideae inferred from chloroplast DNA sequence data. *American Journal of Botany* **90**: 1463–1469.
- Muellner AN, Samuel R, Johnson SA, Cheek M, Pennington TD, Chase MW. 2003.** Molecular phylogenetics of Meliaceae (Sapindales) based on nuclear and plastid DNA sequences. *American Journal of Botany* **90**: 471–480.
- Muellner AN, Savolainen V, Samuel R, Chase MW. 2006.** The mahogany family 'out-of-africa': divergence time estimation, global biogeographic patterns inferred from plastid *rbcL* DNA sequences, extant, and fossil distribution of diversity. *Molecular Phylogenetics and Evolution* **40**: 236–250.
- Muellner AN, Vassiliades DD, Renner S. 2007.** Placing Biebersteiniaceae, a herbaceous clade of Sapindales, in a temporal and geographic context. *Plant Systematics and Evolution* **266**: 233–252.
- Mulholland DA, Kotsos M, Mahomed HA, Koorbanally NA, Randrianarivojosia M, van Ufford LQ, van den Berg AJJ. 2002.** Coumarins from *Cedrelopsis grevei* (Ptaeroxylaceae). *Phytochemistry* **61**: 919–922.
- Mulholland DA, Mahomed HA, Kotsos M, Randrianarivojosia M, Lavaud C, Massiot G, Nuzillard JM. 1999.** Limonoid derivatives from *Cedrelopsis grevei*. *Tetrahedron* **55**: 11547–11552.
- Mulholland DA, Mahomed HA. 2000.** Isolation of Cneorubin X, an unusual diterpenoid from *Ptaeroxylon obliquum* (Ptaeroxylaceae). *Biochemical Systematics and Ecology* **28**: 713–716.
- Mulholland DA, Mc Farland K, Randrianarivojosia M, Rabarison H. 2004.** Cedkathryns A and B, pentanortriterpenoids from *Cedrelopsis gracilis*. *Phytochemistry* **65**: 2929–2934.
- Mulholland DA, Naidoo D, Randrianarivojosia M, Cheplogoi PK, Coombes PH. 2003.** Secondary metabolites from *Cedrelopsis grevei* (Ptaeroxylaceae). *Phytochemistry* **64**: 631–635.
- Mulholland DA, Parel B, Coombes PH. 2000.** The chemistry of the Meliaceae and Ptaeroxylaceae of southern and eastern Africa and Madagascar. *Current Organic Chemistry* **4**: 1011–1054.
- Nie ZL, Sun H, Meng Y, Wen J. 2009.** Phylogenetic analysis of *Toxicodendron* (Anacardiaceae) and its biogeographic implications on the evolution of north temperate and tropical

---

intercontinental disjunctions. *Journal of Systematics and Evolution* **47**: 416–430.

**Nooteboom HP. 1962.** Simaroubaceae. In: Van Steenis CGGJ, ed. *Flora Malesiana ser. 1 vol. 6*. Groningen: Wolters-Noordhoff Publishing, 193–226.

**Nooteboom HP. 1966.** Flavonols, leuco-anthocyanins, cinnamic acids, and alkaloids in dried leaves of some Asiatic and Malesian Simaroubaceae. *Blumea* **14**: 309–315.

**Norscia I, Borgognini-Tarli SM. 2006.** Ethnobotanical reputation of plant species from two forests of Madagascar: A preliminary investigation. *South African Journal of Botany* **72**: 656–660.

**Nylander JAA. 2004a.** MrAIC.pl. Program distributed by the author. Evolutionary Biology Centre, Uppsala University.

**Nylander JAA. 2004b.** MrModeltest v2. Program distributed by the author. Evolutionary Biology Centre, Uppsala University.

**Nylander JAA, Ronquist F, Huelsenbeck JP, Nieves-Aldrey JL. 2004.** Bayesian Phylogenetic Analysis of Combined Data. *Systematic Biology* **53**: 47–67.

**Nylander JAA, Wilgenbusch JC, Warren DL, Swofford DL. 2008.** AWTY (are we there yet?): a system for graphical exploration of MCMC convergence in Bayesian phylogenetics. *Bioinformatics* **24**: 581–583.

**Okorie DA. 1982.** Chromones and limonoids from *Harrisonia abyssinica*. *Phytochemistry* **21**: 2424–2426.

**Oviedo R, Traveset A, Valido A, Brull G. 2009.** Sobre la presencia de *Cneorum* (Cneoraceae) en Cuba: ejemplo de disyunción biogeographical Mediterráneo-Caribe? *Anales del Jardín Botánico de Madrid* **66**: 25–33.

**Oxelman B, Liden M, Berglund D. 1997.** Chloroplast *rps16* intron phylogeny of the tribe Sileneae (Caryophyllaceae). *Plant Systematics and Evolution* **206**: 393–410.

**Palamarev D, Usunova K. 1970.** Morphologisch-anatomischer Nachweis der Gattung *Skimmia* in der Tertiärflora Bulgariens. *Dokladi na Bulgarskata Akademiya Naukite* **23**: 835–838.

**Palmer E, Pitman N. 1972.** *Trees of southern Africa, vol. 2*. Cape Town: A.A. Balkena.

**Pan AD. 2010.** Rutaceae leaf fossils from the Late Oligocene (27.23 Ma) Guang River flora of northwestern Ethiopia. *Review of Palaeobotany and Palynology* **159**: 188–194.

**Paradis E. 1998.** Testing for constant diversification rates using molecular phylogenies: A

general approach based on statistical tests for goodness of fit. *Molecular Biology and Evolution* **15**: 476–479.

**Parra-O C. 2005.** Primer registro de *Spathelia* L. (Rutaceae) y una nueva especie del género para Colombia. *Caldasia* **27**: 17–23.

**Pell SK, Mitchell JD, Miller AJ, Lobova TA. 2011.** Anacardiaceae. In: Kubitzki K, ed. *The Families and Genera of Vascular Plants vol. 10*. Berlin: Springer Verlag, 7–50.

**Pennington TD, Styles BT. 1975.** A generic monograph of the Meliaceae. *Blumea* **22**: 419–540.

**Pennington TD, Reynel C, Daza A. 2004.** *Illustrated guide to the trees of Peru*. Sherbone: David Hunt, The Manse, Chapel Lane, Milborne Port.

**Pfeil BE, Crisp MD. 2008.** The age and biogeography of *Citrus* and the orange subfamily (Rutaceae: Aurantioideae) in Australasia and New Caledonia. *American Journal of Botany* **95**: 1621–1631.

**Pirani JR. 1989.** Flora da Serra do Cípo, Minas Gerais: Rutaceae (1). *Bolm Botanica* **11**: 109–119.

**Pirani JR. 1995.** Rutaceae. In: Stannard BL, ed. *Flora of the Pico das Alamas*. London: Royal Botanic Gardens Kew.

**Planchon JE. 1846.** Revue de la famille des Simarubées. *The London Journal of Botany* **5**: 560–584.

**Poon WS, Shaw PC, Simmons MP, But PPH. 2007.** Congruence of molecular, morphological, and biochemical profiles in Rutaceae: a cladistic analysis of the subfamilies Rutoideae and Toddalioideae. *Systematic Botany* **32**: 837–846.

**Posada D, Buckley TR. 2004.** Model selection and model averaging in phylogenetics: Advantages of Akaike Information Criterion and Bayesian Approaches over Likelihood Ratio Tests. *Systematic Biology* **53**: 793–808.

**Rabosky DL. 2006.** LASER: a maximum likelihood toolkit for detecting temporal shifts in diversification rates from molecular phylogenies. *Evolutionary Bioinformatics Online* **2**: 257–260.

**Rambaut A. 2002.** PHYLOGEN: Phylogenetic tree simulation package. Oxford: University of Oxford.

**Rambaut A, Drummond AJ. 2007.** Tracer v1.4. <http://tree.bio.ed.ac.uk/software/tracer/>. [accessed 23 June 2010].

- Randrianarivojosia M, Mulholland DA, Mc Farland K. 2005.** Prenylated coumarins from *Cedrelopsis longibracteata* (Ptaeroxylaceae). *Biochemical Systematics and Ecology* **33**: 301–304.
- Razafimandimbison SG, Appelhans MS, Rabarison H, Haevermans T, Rakotondrafara A, Rakotonandrasana SR, Ratsimbason M, Labat JN, Keßler PJA, Smets E, Cruaud C, Couloux A, Randrianarivojosia M. 2010.** Implications of a molecular phylogenetic study of the Malagasy genus *Cedrelopsis* and its relatives (Ptaeroxylaceae). *Molecular Phylogenetics and Evolution* **57**: 258–265.
- Razafimandimbison SG, McDowell TD, Halford DA, Bremer B. 2009.** Molecular phylogenetics and generic assessment in the tribe Morindeae (Rubiaceae–Rubioidae): How to circumscribe *Morinda* L. to be monophyletic? *Molecular Phylogenetics and Evolution* **52**: 879–886.
- Razafimandimbison SG, Bremer B. 2002.** Phylogeny and classification of Naucleaeae (Rubiaceae) inferred from molecular (nrITS, *rbcL*, and *trnT-F*) and morphological data. *American Journal of Botany* **89**: 1027–1041.
- Razafimandimbison SG, Rydin C, Bremer B. 2008.** Evolution and trends in the Psychotrieae alliance (Rubiaceae): a rarely reported evolutionary change of many-seeded carpels from one-seeded carpels. *Molecular Phylogenetics and Evolution* **48**: 207–223.
- Ree RH, Smith SA. 2008.** Maximum likelihood inference of geographic range evolution by dispersal, local extinction, and cladogenesis. *Systematic Biology* **57**: 4–14.
- Ree RH, Moore BR, Webb CO, Donoghue MJ. 2005.** A likelihood framework for inferring the evolution of geographic range on phylogenetic trees. *Evolution* **59**: 2299–2311.
- Ren F, Tanaka H, Yang Z. 2005.** An empirical examination of the utility of codon-substitution models in phylogeny reconstruction. *Systematic Biology* **54**: 808–818.
- Riera N, Traveset A, Garcia O. 2002.** Breakage of mutualisms by exotic species: the case of *Cneorum tricoccon* L. in the Balearic Islands (Western Mediterranean Sea). *Journal of Biogeography* **29**: 713–719.
- Rigueiro C, Arroyo JM, Valido A, Jordano P. 2009.** Isolation and characterization of 13 microsatellite loci for *Neochamaelea pulverulenta* (Cneoraceae). *Molecular Ecology Resources* **9**: 1497–1500.
- Robbrecht E, Manen J-F. 2006.** The major evolutionary lineages of the coffee family (Rubiaceae, angiosperms). Combined analysis (nDNA and cpDNA) to infer the position of *Coptosapelta* and *Luculia*, and supertree construction based on *rbcL*, *rps16*, *trnL-trnF* and *atpB-rbcL* data. A new classification in two subfamilies, Cinchonoideae and Rubioideae. *Systematics and Geography of Plants* **76**: 85–146.



- Ronquist F, Huelsenbeck JP. 2003.** MrBayes 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* **19**: 1572–1574.
- Ronse De Craene LP, Haston E. 2006.** The systematic relationships of glucosinolate-producing plants and related families: a cladistic investigation based on morphological and molecular characters. *Botanical Journal of the Linnaean Society* **151**: 453–494.
- Roy A, Saraf S. 2006.** Limonoids: Overview of significant bioactive triterpenes distributed in plants kingdom. *Biological & Pharmaceutical Bulletin* **29**: 191–201.
- Rozen S, Skaletsky HJ. 2000.** Primer3 on the WWW for general users and for biologist programmers. In: Krawetz S, Misener S, eds. *Bioinformatics Methods and Protocols: Methods in Molecular Biology*. Totowa: Humana Press, 365–386.
- Rugutt JK, Rugutt KJ, Berner DK. 2001.** Limonoids from Nigerian *Harrisonia abyssinica* and their stimulatory activity against *Striga hermonthica* seeds. *Journal of Natural Products* **64**: 1434–1438.
- Salvo G, Bacchetta G, Ghahremaninejad F, Conti E. 2008.** Phylogenetic relationships of Ruteae (Rutaceae): New evidence from the chloroplast genome and comparisons with non-molecular data. *Molecular Phylogenetics and Evolution* **49**: 736–748.
- Salvo G, Ho SYW, Rosenbaum G, Ree R, Conti E. 2010.** Tracing the temporal and spatial origins of island endemics in the Mediterranean region: a case study from the *Citrus* family (*Ruta* L., Rutaceae). *Systematic Biology* **59**: 705–722.
- Salvo G, Manafzadeh S, Ghahremaninejad F, Tojibaev K, Zeltner L, Conti E. 2011.** Phylogeny, morphology, and biogeography of *Haplophyllum* (Rutaceae), a species-rich genus of the Irano-Turanian floristic region. *Taxon* **60**: 513–527.
- Sang T, Crawford DJ, Stuessy TF. 1997.** Chloroplast DNA phylogeny, reticulate evolution, and biogeography of *Paeonia* (Paeoniaceae). *American Journal of Botany* **84**: 1120–1136.
- Sartor CFP, Da Silva MFDGE, Fernandes JB, Vieira PC, Fo EF, Cortez DAG. 2003.** Alkaloids from *Dictyoloma vandellianum*: their chemosystematic significance. *Phytochemistry* **63**: 185–192.
- Savolainen V, Fay MF, Albach DC, Backlund A, van der Bank M, Cameron KM, Johnson SA, Lledó MD, Pintaud JC, Powell M, Sheahan MC, Soltis DE, Soltis PS, Weston P, Whitten WM, Wurdack KJ, Chase MW. 2000.** Phylogeny of the eudicots: a nearly complete familial analysis based on rbcL gene sequences. *Kew Bulletin* **55**: 257–309.
- Schatz G. 2001.** *Generic tree flora of Madagascar*. London, Kew Publishing: 345–351.



- Schmid R. 1985.** Functional interpretations of the morphology and anatomy of septal nectaries. *Acta Botanica Neerlandica* **34**: 125–128.
- Schönfelder P, Schönfelder I. 2005.** *Die Kosmos Kanarenflora, 2nd edition*. Stuttgart: Kosmos Verlag.
- Schweingruber, F.H. 1990.** *Anatomie europäischer Hölzer. - Anatomy of European woods*. Stuttgart: Eidgenössische Forschungsanstalt für Wald, Schnee und Landschaft.
- Scott KD, McIntyre CL, Playford J. 2000.** Molecular analyses suggest a need for a significant rearrangement of Rutaceae subfamilies and a minor reassessment of species relationships within *Flindersia*. *Plant Systematics and Evolution* **223**: 15–27.
- Shaw J, Lickey EB, Schilling EE, Small RL. 2007.** Comparison of whole chloroplast genome sequences to choose noncoding regions for phylogenetic studies in angiosperms: the tortoise and the hare III. *American Journal of Botany* **94**: 275–288.
- Shi S, Huang Y, Zeng K, Tan F, He H, Huang J, Fu Y. 2005.** Molecular phylogenetic analysis of mangroves: independent evolutionary origins of vivipary and salt secretion. *Molecular Phylogenetics and Evolution* **34**: 159–166.
- Simmonds NW. 1980.** Monocarpy, calendars and flowering cycles in Angiosperms. *Kew Bulletin* **35**, 235–245.
- Simmons MP, Müller K, Norton AP. 2007.** The relative performance of indel-coding methods in simulations. *Molecular Phylogenetics and Evolution* **44**: 724–740.
- Simmons MP, Ochoterena H. 2000.** Gaps as characters in sequence-based phylogenetic analyses. *Systematic Biology* **49**: 369–381.
- Stannard B, 2000.** Simaroubaceae. In: Beentje HJ, ed. *Flora of Tropical East Africa*. Rotterdam: A.A. Balkema, 15p.
- Stern WL, Brizicky GK. 1960.** The morphology and relationships of *Diomma*, gen. inc. sed. *Memoirs of the New York Botanical Garden* **10**: 38–57.
- Stevens PF. 2001 onwards.** Angiosperm Phylogeny Website, version 9, June 2008. Website <http://www.mobot.org/MOBOT/research/APweb/> [accessed 16 October 2009].
- Straka H, Albers F, Mondon A. 1976.** Die Stellung und Gliederung der Familie Cneoraceae (Rutales). *Beiträge zur Biologie der Pflanzen* **52**: 367–310.
- Suwanborirux K, Chang CJ, Cassady JM. 1987.** Novel Chromones from *Spathelia sorbifolia*. *Journal of Natural Products* **50**: 102–107.

**Swofford DL. 2002.** PAUP\*: Phylogenetic analyses using parsimony (\*and other methods), version 4.0b10. Sunderland: Sinauer.

**Taberlet P, Gielly L, Pautou G, Bouvet J. 1991.** Universal primers for amplification of three non-coding regions of chloroplast DNA. *Plant Molecular Biology* **17**: 1105–1109.

**Takhtajan A. 1997.** *Diversity and classification of flowering plants*. New York: Columbia University Press.

**Tanaka T, Koike K, Mitsunaga K, Narita K, Takano S, Kamioka A, Sase E, Ouyang Y, Ohmoto T. 1995.** Chromones from *Harrisonia perforata*. *Phytochemistry* **40**: 1787–1790.

**Taylor DAH. 1983.** Biogenesis, distribution, and systematic significance of Limonoids in the Meliaceae, Cneoraceae, and allied taxa. In: Waterman PG, Grundon MF, eds. *Chemistry and chemical taxonomy of the Rutales*. London, Academic Press, 353–376.

**Tébar FJ, Llorens L. 1997.** Floral biology of *Cneorum tricoccon* L. (Cneoraceae): an unknown case of andromonoecy. *Collectanea Botanica* **23**: 105–113.

**Thiv M, van der Niet T, Rutschmann F, Thulin M, Brune T, Linder HP. 2011.** Old–New World and trans-African disjunctions of *Thamnosma* (Rutaceae): Intercontinental long-distance dispersal and local differentiation in the succulent biome. *American Journal of Botany* **98**: 76–87.

**Thompson JD, Higgins G, Gibson TJ. 1994.** CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positions-specific gap penalties and weight matrix choice. *Nucleic Acids Research* **22**: 4673–4680.

**Thorne RF. 1992.** An updated phylogenetic classification of the flowering plants. *Aliso* **13**: 365–389.

**Tiffney BH. 1980.** Fruits and seeds of the Brandon Lignite, V. Rutaceae. *Journal of the Arnold Arboretum* **61**: 1–40.

**Tiffney BH. 1981.** *Euodia costata*, new combination (Rutaceae) from the Eocene of southern England. *Paläontologische Zeitschrift* **55**: 185–190.

**Traveset A. 1995a.** Reproductive ecology of *Cneorum tricoccon* L. (Cneoraceae) in the Balearic Islands. *Botanical Journal of the Linnean Society* **117**: 221–232.

**Traveset A. 1995b.** Seed dispersal of *Cneorum tricoccon* L. (Cneoraceae) by lizards and mammals in the Balearic Islands. *Acta Oecologica-Oecologia Plantarum* **16**: 171–178.

**Tuntiwachwuttikul P, Phansa P, Pootaeng-On Y, Taylor WC. 2006.** Chromones from the

branches of *Harrisonia perforata*. *Chemical & Pharmaceutical Bulletin* **54**: 44–47.

**Tutin TG. 1968.** Cneoraceae. In: Tutin TG, Heywood VH, Burges NA, Moore DM, Valentine DH, Walters SM, Webb DA, eds. *Flora Europaea vol. 2 – Rosaceae to Umbelliferae*. Cambridge: Cambridge University Press, 230.

**Tutin TG. 1968.** Rutaceae. In: Tutin TG, Heywood VH, Burges NA, Moore DM, Valentine DH, Walters SM, Webb DA, eds. *Flora Europaea, vol. 2, Rosaceae to Umbelliferae*. Cambridge: Cambridge University Press, 227–230.

**Um BH, Lobstein A, Weniger B, Spiegel C, Yice F, Rakotoarison O, Andriantsitohaina R, Anton R. 2003.** New coumarins from *Cedrelopsis grevei*. *Fitoterapia* **74**: 638–642.

**Urban I. 1918.** Über zwei Euphorbiaceen-Gattungen. *Berichte der Deutschen Botanischen Gesellschaft* **36**: 501–507.

**Valido A, Nogales M. 1994.** Frugivory and seed dispersal by the lizard *Gallotia galloti* (Lacertidae) in a xeric habitat of the Canary Islands. *Oikos* **70**: 403–411.

**Van der Ham RWJM, Baas P, Bakker ME, Boesewinkel FD, Bouman F, van Heuven BJ, Klaassen RKWM. 1995.** *Bottegoa* Chiov. transferred to the Ptaeroxylaceae. *Kew Bulletin* **50**: 243–265.

**Van Tieghem MP. 1898.** Sur les Cnéoracées. *Bulletin du Muséum d'Histoire Naturelle, Paris* **4**: 241–244.

**Van Wyk B, van Wijk P, van Wijk BE. 2000.** *Photographic guide to trees of southern Africa*. Pretoria: Briza Publications.

**Vásquez Martínez R. 1997.** *Flórula de las Reservas Biológicas de Iquitos, Perú*. St. Louis: Missouri Botanical Garden Press.

**Ventenat EP. 1802.** *Description des plantes nouvelles et peu connues, cultivées dans le jardin de J. M. Cels*. Paris: Imprimerie de Crapelet.

**Vieira PC, Lazaro AR, Fernandes JB, Da Silva MFDGF. 1988.** The chemosystematics of *Dictyoloma*. *Biochemical Systematics and Ecology* **16**: 541–544.

**Waterman PG. 1983.** Phylogenetic implications of the distribution of secondary metabolites within the Rutales. In: Waterman PG, Grundon MF, eds. *Chemistry and chemical taxonomy of the Rutales*. London, New York, Paris, San Diego, San Francisco, Sao Paulo, Sydney, Tokyo, Toronto: Academic press, 377–400.

**Waterman PG. 2007.** The current status of chemical systematics. *Phytochemistry* **68**: 2896–2903.

**Webb PB. 1842.** On the position to be assigned to the genus *Cneorum* in the Natural Series. *The London Journal of Botany* **1**: 254–258.

**Weberling F. 1970.** Die vermeintlichen Stipulardornen bei *Zanthoxylum* L. und *Fagara* L. (Rutaceae) sowie bei *Acanthopanax* (Araliaceae). *Bericht der Oberhessischen Gesellschaft für Natur- und Heilkunde zu Gießen, Neue Folge, Naturwissenschaftliche Abteilung* **37**: 141–147.

**Weeks A, Daly DC, Simpson BB. 2004.** The phylogenetic history and biogeography of the frankincense and myrrh family (Burseraceae) based on nuclear and chloroplast sequence data. *Molecular Phylogenetics and Evolution* **35**: 85–101.

**Werker E. 1997.** *Seed Anatomy*. Berlin: Gebrüder Borntraeger.

**Wettstein R. 1911.** *Handbuch der systematischen Botanik*. Leipzig, Wien: Franz Deuticke.

**Wheeler EA, Baas P, Gasson PE. (eds.) 1989.** IAWA list of microscopic features for hardwood identifications. *I.A.W.A. Bulletin, New Series* **10**: 219–332.

**White F. 1986.** The taxonomy, chorology and reproductive biology of southern African Meliaceae and Ptaeroxylaceae. *Bothalia* **16**: 143–168.

**White F. 1990.** *Ptaeroxylon obliquum* (Ptaeroxylaceae), some other disjuncts, and the Quaternary history of African vegetation. *Bulletin du Muséum National d'Histoire Naturelle, Paris, Section B, Adansonia. Botanique Phytochimie, 4e série* **12**: 139–185.

**White TJ, Bruns T, Lee S, Taylor JW. 1990.** Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis MA, Gelfand DH, Sninsky JJ, White TJ, eds. *PCR Protocols: A Guide to Methods and Applications*. New York: Academic Press, 315–322

**Wild H, Phipps JB. 1963.** Simaroubaceae. In: Exell AW, Fernandes A, Wild H, eds. *Flora Zambesiaca*. London: Crown Agents for Oversea Governments and Administrations, 210–220.

**Williams L, Dahlgren BE. 1936.** *Botanical Series XV - Publication 377 - Woods of Northeastern Peru*. Chicago: Field Museum of Natural History.

**Woods CA, Sergile FE. 2009.** Antilles, Biology. In: Gillespie RD, Clague DA, eds. *Encyclopedia of Islands*. Berkeley: University of California Press, 20–29.

**Yoder AD, Irwin JA, Payseur BA. 2001.** Failure of the ILD to determine data combinability for slow loris phylogeny. *Systematic Biology* **50**: 408–424.

**Yoder AD, Nowak MD. 2006.** Has vicariance or dispersal been the predominant biogeographic force in Madagascar? Only time will tell. *Annual Review of Ecology, Evolution, and Systematics* **37**: 405–431.

---

**Zhang L-B, Simmons MP, Kocyan A, Renner SS. 2006.** Phylogeny of the Cucurbitales based on DNA sequences of nine loci from three genomes: implications for morphological and sexual system evolution. *Molecular Phylogenetics and Evolution* **39**: 305–322.

