

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20497> holds various files of this Leiden University dissertation.

Author: Siegerink, Bob

Title: Prothrombotic factors and the risk of myocardial infarction and ischaemic stroke in young women : differences, similarities and implications

Issue Date: 2013-02-05

Publications

1. Siegerink B, Maas R, Vossen CY, Schwedhelm E, Koenig W, Böger R, Rothenbacher D, Brenner H, Breitling LP. Asymmetric and symmetric dimethylarginine and risk of secondary cardiovascular disease events and mortality in patients with stable coronary heart disease: the KAROLA follow-up. *Clin Res Cardiol* 2012 [Epub ahead of print]
2. Bonten TN, Siegerink B, van der Bom JG. Crossover-studies. *Ned Tijdschr Geneeskd.* 2012;156:A5542.
3. Roach RE, Siegerink B, le Cessie S, Rosendaal FR, Cannegieter SC, Lijfering W. Coffee consumption is associated with a lower risk of venous thrombosis which is mediated through haemostatic factor levels. *J Thromb Haemost.* 2012;10:2519–25.
4. Siegerink B, Rosendaal FR, Algra A. Family history differs between young women with myocardial infarction and ischemic stroke: Results from the RATIO case-control study. *Atherosclerosis.* 2012;223:235–8.
5. Siegerink B, Rosendaal FR, Algra A. High molecular weight kininogen and the risk of myocardial infarction and ischemic stroke in young women: the RATIO case-control study. *J Thromb Haemost.* 2012;10:2409–12.
6. Andersson HM, Siegerink B, Luken BM, Crawley JTB, Algra A, Lane DA, Rosendaal FR. High VWF, low ADAMTS13, and oral contraceptives increase the risk of ischemic stroke and myocardial infarction in young women. *Blood.* 2012;119:1555–60.
7. Leijdesdorff HA, Siegerink B, Sier CFM, Reurings MCB, Schipper IBI. Injury pattern, injury severity, and mortality in 33,495 hospital-admitted victims of motorized two-wheeled vehicle crashes in The Netherlands. *J Trauma Acute Care Surg.* 2012;72:1363–8.
8. Leijdesdorff H, Siegerink B, Sier CFK, Reurings MCB, Schipper IBI. Ongelukken met gemotoriseerde tweewielers. *Ned Tijdschr Geneeskd.* 2012; (156):A5165.
9. Siegerink B, Andersson HM, Luken BM, Crawley JTB, Algra A, Lane DA, Rosendaal FR. Screening strategy not likely to be cost-effective. *Blood.* 2012;313: e-letter.
10. Siegerink B, Meltzer ME, de Groot PG, Algra A, Lisman T, Rosendaal FR. Clot lysis time and the risk of myocardial infarction and ischaemic stroke in young women; results from the RATIO case-control study. *Br J Haematol.* 2011;156:252–8.
11. Winckers K, Siegerink B, Duckers C, Maurissen LF, Tans G, Castoldi E, Spronk HMH, Ten Cate H, Algra A, Hackeng TM, Rosendaal FR. Increased tissue factor pathway inhibitor activity is associated with myocardial infarction in young women: results from the RATIO study. *J Thromb Haemost.* 2011;9:2243–50.

12. Bergheanu SC, Pons D, van der Hoeven BL, Liem S-S, Siegerink B, SchaliJ MJ, van der Bom JG, Jukema JW. The 5352 A allele of the pro-inflammatory caspase-1 gene predicts late-acquired stent malapposition in STEMI patients treated with sirolimus stents. *Heart Vessels*. 2011;26:235–41.
13. Siegerink B, Govers-RiemsJag JWP, Rosendaal FR, Ten Cate H, Algra A. Intrinsic coagulation activation and the risk of arterial thrombosis in young women: results from the Risk of Arterial Thrombosis in relation to Oral contraceptives (RATIO) case-control study. *Circulation*. 2010;122:1854–61.
14. Verduijn M, Siegerink B, Jager KJ, Zoccali C, Dekker FW. Mendelian randomization: use of genetics to enable causal inference in observational studies. *Nephrol Dial Transplant*. 2010;25:1394–8.
15. Urbanus RT, Siegerink B, Roest M, Rosendaal FR, de Groot PG, Algra A. Antiphospholipid antibodies and risk of myocardial infarction and ischaemic stroke in young women in the RATIO study: a case-control study. *Lancet Neurol*. 2009;8:998–1005.
16. Jacobi CE, de Bock GH, Siegerink B, van Asperen CJ. Differences and similarities in breast cancer risk assessment models in clinical practice: which model to choose? *Breast Cancer Res Treat*. 2009;115:381–90.
17. Siegerink B, Algra A, Rosendaal FR. Genetic variants of coagulation factor XIII and the risk of myocardial infarction in young women. *Br J Haematol*. 2009;146:457–9.
18. Siegerink B, Rosendaal FR, Algra A. Genetic variation in fibrinogen; its relationship to fibrinogen levels and the risk of myocardial infarction and ischemic stroke. *J Thromb Haemost*. 2009;7:385–90.

For an up-to-date list of publications, please go to

www.mendeley.com/profiles/bob-siegerink/