

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/22851> holds various files of this Leiden University dissertation

Author: Hollander-Gijsman, Margien Elisabeth den

Title: Out of the box : moving from categories to dimensions in the phenomenology of depression and anxiety

Issue Date: 2013-12-11

REFERENCE LIST

- Aaronson, N.K., Muller, M., Cohen, P.D., Essink-Bot, M.L., Fekkes, M., Sanderman, R. et al. (1998). Translation, validation, and norming of the Dutch language version of the SF-36 Health Survey in community and chronic disease populations. *Journal of Clinical Epidemiology*, *51*, 1055-1068.
- American Psychiatric Association (1968). *Diagnostic and statistical manual of mental disorders (2th ed.)*. Washington, DC: American Psychiatric Publishing Inc.
- American Psychiatric Association (1987). *Diagnostic and statistical manual of mental disorders (3th ed. revised, IIR)*. Washington, DC: American Psychiatric Publishing Inc.
- American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders (4th ed.)*. Washington, DC: American Psychiatric Publishing Inc.
- Andrews, G. (1996). Comorbidity and the general neurotic syndrome. *British Journal of Psychiatry*, *76*-84.
- Arrindel, W. & Ettema, J. (1986). *SCL-90: Handleiding bij een multidimensionele psychopathologie-indicator. (SCL-90: Manual for a multidimensional indicator of psychopathology)*. Lisse. The Netherlands: Swets & Zeitlinger.
- Barkham, M., Culverwell, A., Spindler, K., & Twigg, E. (2005). The CORE-OM in an older adult population: psychometric status, acceptability, and feasibility. *Aging Mental Health*, *9*, 235-245.
- Barlow, D.H., Gorman, J.M., Shear, M.K., & Woods, S.W. (2000). Cognitive-behavioral therapy, imipramine, or their combination for panic disorder: A randomized controlled trial. *Journal of the American Medical Association*, *283*, 2529-2536.
- Beck, A.T. & Steer, R.A. (1987). *Manual for the revised Beck Depression Inventory*. San Antonio, TX: Psychological Corporation.
- Bedford, A. (1997). On Clark-Watson's tripartite model of anxiety and depression. *Psychological Reports*, *80*, 125-126.
- Belzer, K. & Schneier, F.R. (2004). Comorbidity of anxiety and depressive disorders: issues in conceptualization, assessment, and treatment. *Journal of Psychiatric Practice*, *10*, 296-306.
- Bentler, P.M. (2006). *EQS 6 Structural Equations Program Manual*. Multivariate Software Inc, Encino, CA.
- Beuke, C.J., Fischer, R., & McDowall, J. (2003). Anxiety and depression: Why and how to measure their separate effects. *Clinical Psychology Review*, *23*, 831-848.

Reference List

- Beutler, L.E., Forrester, B., Gallagher-Thomson, D., Thompson, L., & Tomlins, J.B. (2012). Common, specific, and treatment fit variables in psychotherapy outcome. *Journal of Psychotherapy Integration, 22*, 255-281.
- Boschen, M.J. & Oei, T.P. (2006). Factor structure of the Mood and Anxiety Symptom Questionnaire does not generalize to an anxious/depressed sample. *Australian and New Zealand Journal of Psychiatry, 40*, 1016-1024.
- Boschen, M.J. & Oei, T.P. (2007). Discriminant validity of the MASQ in a clinical sample. *Psychiatric Research, 150*, 163-171.
- Brown, T.A., Campbell, L.A., Lehman, C.L., Grisham, J.R., & Mancill, R.B. (2001). Current and lifetime comorbidity of the DSM-IV anxiety and mood disorders in a large clinical sample. *Journal of Abnormal Psychology, 110*, 585-599.
- Brown, T.A. & Leyfer, O. (2009). Classification of Anxiety Disorders. In D.J.Stein, E. Hollander, & B.O. Rothbaum (Eds.), *Textbook of Anxiety Disorders* (2nd ed., pp. 17-35). American Psychiatric Publishing, Inc.
- Brown, T.A. & Barlow, D.H. (2005). Dimensional Versus Categorical Classification of Mental Disorders in the Fifth Edition of the Diagnostic and Statistical Manual of Mental Disorders and Beyond: Comment on the Special Section. *Journal of Abnormal Psychology, 114*, 551-556.
- Brown, T.A., Chorpita, B.F., & Barlow, D.H. (1998). Structural Relationships Among Dimensions of the DSM-IV Anxiety and Mood Disorders and Dimensions of Negative Affect, Positive Affect, and Autonomic Arousal. *Journal of Abnormal Psychology, 107*, 179-192.
- Buckby, J.A., Cotton, S.M., Cosgrave, E.M., Killackey, E.J., & Yung, A.R. (2008). A factor analytic investigation of the Tripartite model of affect in a clinical sample of young Australians. *BMC Psychiatry, 8*: 79.
- Buckby, J.A., Yung, A.R., Cosgrave, E.M., & Cotton, S.M. (2007). Distinguishing between anxiety and depression using the Mood and Anxiety Symptom Questionnaire (MASQ). *British Journal of Clinical Psychology, 46*, 235-239.
- Burgess, P.M., Pirkis, J.E., Slade, T.N., Johnston, A.K., Meadows, G.N., & Gunn, J.M. (2009). Service use for mental health problems: findings from the 2007 National Survey of Mental Health and Wellbeing. *Australian and New Zealand Journal of Psychiatry, 43*, 615-623.
- Burns, D.D. & Eidelson, R.J. (1998). Why are depression and anxiety correlated? A test of the tripartite model. *Journal of Consulting and Clinical Psychology, 66*, 461-473.
- Byrne, B.A. (2006). *Structural Equation Modeling with EQS: Basic Concepts, Applications and Programming*. New Jersey: Lawrence Erlbaum Associates.

- Campbell, D.T. & Fiske, D.W. (1959). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin*, *56*, 81-105.
- Catell, R.B. (1966). The scree test for the number of factors. *Multivariate Behavioral Research*, *1*, 245-276.
- Chorpita, B.F. (2002). The tripartite model and dimensions of anxiety and depression: an examination of structure in a large school sample. *Journal of Abnormal Child Psychology*, *30*, 177-190.
- Chorpita, B.F. & Daleiden, E.L. (2002). Tripartite dimensions of emotion in a child clinical sample: measurement strategies and implications for clinical utility. *Journal of Consulting and Clinical Psychology*, *70*, 1150-1160.
- Clark, D.M., Fairburn, C.G., & Wessely, S. (2008). Psychological treatment outcomes in routine NHS services: a commentary on Stiles et al. (2007). *Psychological Medicine*, *38*, 629-634.
- Clark, L.A. & Watson, D. (1991). Tripartite model of anxiety and depression: psychometric evidence and taxonomic implications. *Journal of Abnormal Psychology*, *100*, 316-336.
- Clark, L.A. (2005). Temperament as a Unifying Basis for Personality and Psychopathology. *Journal of Abnormal Psychology*, *114*, 505-521.
- Cuthbert, B.N. (2005). Dimensional Models of Psychopathology: Research Agenda and Clinical Utility. *Journal of Abnormal Psychology*, *114*, 565-569.
- Dalrymple, K.L. & Zimmerman, M. (2007). Does comorbid Social Anxiety Disorder impact the clinical presentation of principal Major Depressive Disorder? *Journal of Affective Disorders*, *100*, 241-247.
- De Beurs E., Rinne, T., van, K.D., Verheul, R., & Andrea, H. (2009). Reliability and validity of the Dutch Dimensional Assessment of Personality Pathology-Short Form (DAPP-SF), a shortened version of the DAPP-Basic Questionnaire. *Journal of Personality Disorders*, *23*, 308-326.
- De Beurs, E. (2005). *De Brief Symptom Inventory; Handleiding (The Brief Symptom Inventory; Manual)*. Leiden: Pits Publishers.
- De Beurs, E., Beekman, A.T., van Balkom, A.J., Deeg, D.J., Van Dyck, R., & van Tilburg, W. (1999). Consequences of anxiety in older persons: its effect on disability, well-being and use of health services. *Psychological Medicine*, *29*, 583-593.
- De Beurs, E., Comijs, H., Twisk, J.W., Sonnenberg, C., Beekman, A.T., & Deeg, D. (2005). Stability and change of emotional functioning in late life: modelling of vulnerability profiles. *Journal of Affective Disorders*, *84*, 53-62.

Reference List

- De Beurs, E., Den Hollander-Gijsman, M.E., Helmich, S., & Zitman, F.G. (2007). The tripartite model for assessing symptoms of anxiety and depression: Psychometrics of the Dutch version of the mood and anxiety symptom questionnaire. *Behaviour Research and Therapy*, *45*, 1609-1617.
- De Beurs, E., Den Hollander-Gijsman, M.E., Van Rood, Y.R., Van der Wee, N.J.A., Giltay, E.J., Van Noorden, M.S. et al. (2011). Routine outcome monitoring in the Netherlands: practical experiences with a web-based strategy for the assessment of treatment outcome in clinical practice. *Clinical Psychology and Psychotherapy*, *18*, 1-12.
- De Graaf, R., Bijl, R.V., Smit, F., Vollebergh, W.A., & Spijker, J. (2002). Risk factors for 12-month comorbidity of mood, anxiety, and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. *American Journal of Psychiatry*, *159*, 620-629.
- Den Hollander-Gijsman, M.E., De Beurs, E., Van der Wee, N.J.A., Van Rood, Y.R., & Zitman, F. G. (2010). Distinguishing between depression and anxiety: a proposal for an extension of the tripartite model. *European Psychiatry*, *25*, 197-205.
- Derogatis, L.R. (1975). *The Brief Symptom Inventory*. Baltimore, MD.: Clinical Psychometric Research.
- Derogatis, L.R., Lipman, R.S., & Covi, L. (1973). SCL-90: an outpatient psychiatric rating scale-preliminary report. *Psychopharmacology Bulletin*, *9*, 13-28.
- Derogatis, L.R. & Melisaratos, N. (1983). The Brief Symptom Inventory: an introductory report. *Psychological Medicine*, *13*, 595-605.
- Dillmann, D.A. (1978). *Mail and telephone surveys: The total design method*. New York: Wiley.
- Ellwood, P.M. (1988). Outcomes management. A technology of patient experience. *New England Journal of Medicine*, *318*, 1549-1556.
- Emmanuel, J., Simmonds, S., & Tyrer, P. (1998). Systematic review of the outcome of anxiety and depressive disorders. *British Journal of Psychiatry*, *173* (suppl 34), 35-41.
- Endicott, J., Spitzer, R.L., Fleiss, J.L., & Cohen, J. (1976). The global assessment scale. A procedure for measuring overall severity of psychiatric disturbance. *Archives of General Psychiatry*, *33*, 766-771.
- Fava, M., Alpert, J.E., Carmin, C.N., Wisniewski, S.R., Trivedi, M.H., Biggs, M.M. et al. (2004). Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. *Psychological Medicine*, *34*, 1299-1308.
- First, M.B. (2005). Clinical Utility: A Prerequisite for the Adoption of a Dimensional Approach in DSM. *Journal of Abnormal Psychology*, *114*, 560-564.

- Floyd, F.J. & Widaman, K.F. (1995). Factor Analysis in the Development and Refinement of Clinical Assessment Instruments. *Psychological Assessment*, 7, 286-299.
- Gilbody, S.M., House, A.O., & Sheldon, T.A. (2002). Outcomes research in mental health - Systematic review. *British Journal of Psychiatry*, 181, 8-16.
- Goekoop, J.G., Knopper-Van der Klein, E.A., Hoeksema, T., Klinkhamer, R.A., Van Gaalen, H.A., & van der Velde, E.A. (1991). The interrater reliability of a Dutch version of the Comprehensive Psychopathological Rating Scale. *Acta Psychiatrica Scandinavica*, 83, 202-205.
- Goekoop, J.G., De Beurs, E., & Zitman, F.G. (2007). Four-dimensional structure underlying scales for depression anxiety and retardation: emergence of trapped anger and scale improvements. *Comprehensive Psychiatry*, 48, 192-198.
- Goldberg, D. (2000). Plato versus Aristotle: categorical and dimensional models for common mental disorders. *Comprehensive Psychiatry*, 41, 8-13.
- Guy, W. (1976). *ECDEU Assessment Manual for Psychopharmacology* Rockville, MD.: National Institute of Mental Health.
- Heller, W., Nitschke, J.B., Etienne, M.A., & Miller, G.A. (1997). Patterns of regional brain activity differentiate types of anxiety. *Journal of Abnormal Psychology*, 106, 376-385.
- Holloway, F. (2002). Outcome measurement in mental health - welcome to the revolution. *British Journal of Psychiatry*, 181, 1-2.
- Hu, L. & Bentler, P.M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: conventional criteria versus new alternatives. *Structural Equation Modeling*, 6, 1-55.
- Jacobson, N.S., Roberts, L.J., Berns, S.B., & McGlinchey, J.B. (1999). Methods for defining and determining the clinical significance of treatment effects: Description, application, and alternatives. *Journal of Consulting and Clinical Psychology*, 67, 300-307.
- Jensen-Doss, A. & Weisz, J.R. (2008). Diagnostic agreement predicts treatment process and outcomes in youth mental health clinics. *Journal of Consulting and Clinical Psychology*, 76, 711-722.
- Joffe, R.T., Bagby, R.M., & Levitt, A. (1993). Anxious and nonanxious depression. *American Journal of Psychiatry*, 150, 1257-1258.
- Joiner, T.E. & Lonigan, C.J. (2000). Tripartite model of depression and anxiety in youth psychiatric inpatients: relations with diagnostic status and future symptoms. *Journal of Clinical Child Psychology*, 29, 372-382.
- Joiner, T.E., Steer, R.A., Beck, A.T., Schmidt, N.B., Rudd, M.D., & Catanzaro, S.J. (1999). Physiological hyperarousal: construct validity of a central aspect of the tripartite model of depression and anxiety. *Journal of Abnormal Psychology*, 108, 290-298.

Reference List

- Kaufman, J. & Charney, D. (2000). Comorbidity of mood and anxiety disorders. *Depression and Anxiety, 12 Suppl 1*, 69-76.
- Kendler, K.S. (1996). Major depression and generalised anxiety disorder. Same genes, (partly)different environments--revisited. *British Journal of Psychiatry.Supplement*, 68-75.
- Keogh, E. & Reidy, J. (2000). Exploring the factor structure of the Mood and Anxiety Symptom Questionnaire (MASQ). *Journal of Personality Assessment, 74*, 106-125.
- Kessler, R.C., Barker, P.R., Colpe, L.J., Epstein, J.F., Gfroerer, J.C., Hiripi, E. et al. (2003). Screening for serious mental illness in the general population. *Arch.Gen.Psychiatry, 60*, 184-189.
- Kessler, R.C., Berglund, P., Demler, O., Jin, R., Merikangas, K.R., & Walters, E.E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry, 62*, 593-602.
- Kessler, R.C., Berglund, P.A., Dewit, D.J., Ustun, T.B., Wang, P.S., & Wittchen, H.U. (2002). Distinguishing generalized anxiety disorder from major depression: prevalence and impairment from current pure and comorbid disorders in the US and Ontario. *International Journal of Methods in Psychiatric Research, 11*, 99-111.
- Kessler, R.C., Nelson, C.B., McGonagle, K.A., Liu, J., Swartz, M., & Blazer, D.G. (1996). Comorbidity of DSM-III-R major depressive disorder in the general population: results from the US National Comorbidity Survey. *British Journal of Psychiatry, 168*, 17-30.
- Kessler, R.C., Chiu, W.T., Demler, O., & Walters, E.E. (2005). Prevalence, Severity, and Comorbidity of 12-Month DSM-IV Disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry, 62*, 617-627.
- Knaup, C.M., Koesters, D., Schoefer, T., Becker, T., & Pushner, B. (2009). Effect of feedback on treatment outcome in specialist mental health care: meta-analysis. *British Journal of Psychiatry, 195*, 15-22.
- Koh, K.B., Kim, C.H., & Park, J.K. (2002). Predominance of anger in depressive disorders compared with anxiety disorders and somatoform disorders. *Journal of Clinical Psychiatry, 63*, 486-492.
- Kotov, R., Ruggero, C.J., Krueger, R.F., Watson, D., Yuan, Q., & Zimmerman, M. (2011). New dimensions in the quantitative classification of mental illness. *Archives of General Psychiatry, 68*, 1003-1011.
- Krueger, R.F. (1999). The structure of common mental disorders. *Archives of General Psychiatry, 56*, 921-926.

- Krueger, R.F., Markon, K.E., Patrick, C.J., & Iacono, W.G. (2005). Externalizing Psychopathology in Adulthood: A Dimensional-Spectrum Conceptualization and Its Implications for DSM-V. *Journal of Abnormal Psychology, 114*, 537-550.
- Krueger, R.F., Watson, D., & Barlow, D.H. (2005). Introduction to the Special Section: Toward a Dimensionally Based Taxonomy of Psychopathology. *Journal of Abnormal Psychology, 114*, 491-493.
- Kupfer, D.J.M. (2005). Dimensional Models for Research and Diagnosis: A Current Dilemma. *Journal of Abnormal Psychology, 114*, 557-559.
- Lambert, M.J., Burlingame, G.M., Umphress, V.J., Hanssen, N., Vermeersch, D., Clause, G. et al. (1996). The reliability and validity of the Outcome Questionnaire. *Clinical Psychology and Psychotherapy, 3*, 249-258.
- Lambert, M.J., Hansen, N.B., & Finch, A.E. (2001). Patient-focused research: using patient outcome data to enhance treatment effects. *Journal of Consulting and Clinical Psychology, 69*, 159-172.
- Lambert, M.J., Harmon, C., Slade, K., Whipple, J.L., & Hawkins, E.J. (2005). Providing feedback to psychotherapists on their patients' progress: clinical results and practice suggestions. *Journal of Clinical Psychology, 61*, 165-174.
- Lecrubier, Y., Sheehan, D.V., Weiller, E., Amorim, P., Bonora, I., Sheehan, K.H. et al. (1997). The Mini International Neuropsychiatric Interview (MINI). A short diagnostic structured interview: reliability and validity according to the CIDI. *European Psychiatry, 12*, 224-231.
- Lee, W., Jones, L., Goodman, R., & Heyman, I. (2005). Broad outcome measures may underestimate effectiveness: An instrument comparison study. *Child and Adolescent Mental Health, 10*, 143-144.
- Livesley, W.J. & Jackson, D.N. (2006). *Manual for the Dimensional Assessment of Personality Problems - basic questionnaire*. Port Huron, Michigan: Sigma.
- Luppino, F.S., van Reedt Dortland, A.K., Wardenaar, K.J., Bouvy, P.F., Giltay, E.J., Zitman, F.G. et al. (2011). Symptom dimensions of depression and anxiety and the metabolic syndrome. *Psychosomatic Medicine, 73*, 257-264.
- MacCallum, R.C., Zhang, S., Preacher, K.J., & Rucker, D.D. (2002). On the practice of dichotomization of quantitative variables. *Psychological Methods, 7*, 19-40.
- Marshall, G.N., Sherbourne, C.D., Meredith, L.S., Camp, P., & Hays, R.D. (2003). The tripartite model of anxiety and depression: symptom structure in depressive and hypertensive patient groups. *Journal of Personality Assessment, 80*, 139-153.
- McGorry, P.D., Purcell, R., Hickie, I.B., Yung, A.R., Pantelis, C., & Jackson, H.J. (2007). Clinical staging: a heuristic model for psychiatry and youth mental health. *Medical Journal of Australia, 187*, S40-S42.

Reference List

- Miller, S.D., Duncan, B.L., Sorrell, R., & Brown, G.S. (2005). The partners for change outcome management system. *Journal of Clinical Psychology, 61*, 199-208.
- Mineka, S., Watson, D., & Clark, L.A. (1998). Comorbidity of anxiety and unipolar mood disorders. *Annual Review of Psychology, 49*, 377-412.
- Montgomery, S.A. & Åsberg, M. (1979). A new depression scale designed to be sensitive to change. *British Journal of Psychiatry, 134*, 382-389.
- Moser, C.A. & Kalton, G. (1979). *Survey methods in social investigation*. London: Heinemann.
- Nitschke, J.B., Heller, W., Imig J.C., McDonald P., & Miller, G. A. (2001). Distinguishing Dimensions of Anxiety and Depression. *Cognitive Therapy and Research, 25*, 1-22.
- Nitschke, J.B., Heller, W., Palmieri, P.A., & Miller, G.A. (1999). Contrasting patterns of brain activity in anxious apprehension and anxious arousal. *Psychophysiology, 36*, 628-637.
- O'Connor, B.P. (2000). SPSS and SAS programs for determining the number of components using parallel analysis and velicer's MAP test. *Behavior Research Methods, Instruments, & Computers, 32*, 396-402.
- Pasquini, M., Picardi, A., Biondi, M., Gaetano, P., & Morosini, P. (2004). Relevance of anger and irritability in outpatients with major depressive disorder. *Psychopathology, 37*, 155-160.
- Paul, G.L. (1967). Strategy of outcome research in psychotherapy. *Journal of Consulting Psychology, 31*, 109-118.
- Perlis, R.H., Fava, M., Trivedi, M.H., Alpert, J., Luther, J.F., Wisniewski, S.R. et al. (2009). Irritability is associated with anxiety and greater severity, but not bipolar spectrum features, in major depressive disorder. *Acta Psychiatrica Scandinavica, 119*, 282-289.
- Piaget, J. (1962). The stages of the intellectual development of the child. *Bulletin of the Menninger Clinic, 26*, 120-128.
- Picardi, A., Morosini, P., Gaetano, P., Pasquini, M., & Biondi, M. (2004). Higher levels of anger and aggressiveness in major depressive disorder than in anxiety and somatoform disorders. *Journal of Clinical Psychiatry, 65*, 442-443.
- Pirkola, S., Saarni, S., Suvisaari, J., Elovainio, M., Partonen, T., Aalto, A.M. et al. (2003). General health and quality-of-life measures in active, recent, and comorbid mental disorders: a population-based health 2000 study. *Comprehensive Psychiatry, 50*, 108-114.
- Reidy, J. & Keogh, E. (1997). Testing the discriminant and convergent validity of the mood and anxiety symptoms questionnaire using a British sample. *Personality and Individual Differences, 23*, 337-344.

-
- Rettew, D.C., Lynch, A.D., Achenbach, T.M., Dumenci, L., & Ivanova, M.Y. (2009). Meta-analyses of agreement between diagnoses made from clinical evaluations and standardized diagnostic interviews. *International Journal of Methods in Psychiatric Research, 18*, 169-184.
- Roca, M., Gili, M., Garcia-Garcia, M., Salva, J., Vives, M., Garcia, C.J. et al. (2009). Prevalence and comorbidity of common mental disorders in primary care. *Journal of Affective Disorders, 119*, 52-58.
- Russell, J.A. & Carroll, J.M. (1999). On the bipolarity of positive and negative affect. *Psychological Bulletin, 125*, 3-30.
- Russell, J.A. & Lewicka, M. (1989). A cross-cultural study of a circumplex model of affect. *Journal of Personality and Social Psychology, 57*, 848-856.
- Satorra, A. & Bentler, P.M. (1988). *Scaling Corrections for Chi-square Statistics in Covariance Structure Analysis. Proceedings of the Business and Economic Statistics Section*. Alexandria, VA: American Statistical Association.
- Shankman, S.A. & Klein, D.N. (2003). The relation between depression and anxiety: an evaluation of the tripartite, approach-withdrawal and valence-arousal models. *Clinical Psychology Review, 23*, 605-637.
- Shear, M.K., Brown, T.A., Barlow, D.H., Money, R., Sholomskas, D.E., Woods, S.W. et al. (1997). Multicenter collaborative panic disorder severity scale. *American Journal of Psychiatry, 154*, 1571-1575.
- Sheehan, D.V., Janavs, J., Baker, R., Harnett-Sheehan, K., Knapp, E., Sheehan, M. et al. (1998). MINI - Mini International Neuropsychiatric Interview - English Version 5.0.0 - DSM-IV. *Journal of Clinical Psychiatry, 59*, 34-57.
- Sheehan, D.V., Lecrubier, Y., Sheehan, K.H., Amorim, P., Janavs, J., Weiller, E. et al. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *Journal of Clinical Psychiatry, 59 Suppl 20*, 22-33.
- Silverstone, P.H. & Von Studnitz E. (2003). Defining anxious depression: going beyond comorbidity. *Canadian Journal of Psychiatry. Revue Canadienne de Psychiatrie, 48*, 675-680.
- Simms, L.J., Gros, D.F., Watson, D., & O'Hara, M.W. (2008). Parsing the general and specific components of depression and anxiety with bifactor modeling. *Depression and Anxiety, 25*, E34-46.
- Simms, L.J., Prisciandaro, J.J., Krueger, R.F., & Goldberg, D.P. (2012). The structure of depression, anxiety and somatic symptoms in primary care. *Psychological Medicine, 42*, 15-28.

Reference List

- Slade, M. (2002). Routine outcome assessment in mental health services. *Psychological Medicine, 32*, 1339-1343.
- Slade, M., McCrone, P., Kuipers, E., Leese, M., Cahill, S., Parabiaghi, A. et al. (2006). Use of standardised outcome measures in adult mental health services: randomised controlled trial. *British Journal of Psychiatry, 189*, 330-336.
- Spector, P.E., Van Katwyk, P.T., Brannick, M.T., & Chen, P.Y. (1997). When Two Factors Don't Reflect Two Constructs: How Item Characteristics Can Produce Artifactual Factors. *Journal of Management, 23*, 659-677.
- Sperry, L., Brill, P.L., Howard, K.I., & Grissom, G.R. (1996). *Treatment outcomes in psychotherapy and psychiatric interventions*. Philadelphia, PA: Brunner/Mazel.
- Stiles, W.B., Barkham, M., Twigg, E., Mellor-Clark, J., & Cooper, M. (2006). Effectiveness of cognitive-behavioural, person-centred and psychodynamic therapies as practised in UK National Health Service settings. *Psychological Medicine, 36*, 555-566.
- Tellegen, A., Watson, D., & Clark, L.A. (1999). On the dimensional and hierarchical structure of affect. *Psychological Science, 10*, 297-303.
- Tomarken, A.J., Dichter, G.S., Freid, C., Addington, S., & Shelton, R.C. (2004). Assessing the effects of bupropion SR on mood dimensions of depression. *Journal of Affective Disorders, 78*, 235-241.
- Tyrer, P. (2001). The case for cothymia: mixed anxiety and depression as a single diagnosis. *British Journal of Psychiatry, 179*, 191-193.
- Tyrer, P., Owen, R.T., & Cicchetti, D.V. (1984). The brief scale for anxiety: a subdivision of the comprehensive psychopathological rating scale. *Journal of Neurology, Neurosurgery and Psychiatry, 47*, 970-975.
- Van Kampen, D. (2006). The Dutch DAPP-BQ: improvements, lower- and higher-order dimensions, and relationship with the 5DPT. *Journal of Personality Disorders, 20*, 81-101.
- Van Kampen, D., De Beurs, E., & Andrea, H. (2008). A short form of the Dimensional Assessment of Personality Pathology-Basic Questionnaire (DAPP-BQ): the DAPP-SF. *Psychiatric Research, 160*, 115-128.
- Van Noorden, M.S., Giltay, E.J., Den Hollander-Gijsman, M.E., van der Wee, N.J., Van Veen, T., & Zitman, F. G. (2010). Gender differences in clinical characteristics in a naturalistic sample of depressive outpatients: the Leiden Routine Outcome Monitoring Study. *Journal of Affective Disorders, 125*, 116-123.
- Van Veen, T., Goeman, J.J., Monajemi, R., Wardenaar, K.J., Hartman, C.A., Snieder, H. et al. (2012). Different gene sets contribute to different symptom dimensions of depression and anxiety. *American Journal of Medical Genetics Part B Neuropsychiatric Genetics, 159B*, 519-528.

- Van Veen, T., Wardenaar, K.J., Carlier, I.V., Spinhoven, P., Penninx, B.W., & Zitman, F.G. (2013). Are childhood and adult life adversities differentially associated with specific symptom dimensions of depression and anxiety? Testing the tripartite model. *Journal of Affective Disorders, 146*, 238-245.
- Van Vliet, I.M., Leroy, H., & van Megen, H.J.G.M. (2000). *M.I.N.I. International Neuropsychiatric Interview; Dutch version 5.0.0.-R*. Department of Psychiatry University Medical Center Utrecht, the Netherlands.
- Van Widenfelt, B.M., Treffers, P.D., De Beurs, E., Siebelink, B.M., & Koudijs, E. (2005). Translation and cross-cultural adaptation of assessment instruments used in psychological research with children and families. *Clinical Child and Family Psychology Review, 8*, 135-147.
- Veen, G., Giltay, E.J., De Rijk, R.H., Van Vliet, I.M., Van Pelt, J., & Zitman, F.G. (2009). Salivary cortisol, serum lipids, and adiposity in patients with depressive and anxiety disorders. *Metabolism, 58*, 821-827.
- Veen, G., Van Vliet, I.M., De Rijk, R.H., Giltay, E.J., Van Pelt, J., & Zitman, F.G. (2011). Basal cortisol levels in relation to dimensions and DSM-IV categories of depression and anxiety. *Psychiatric Research, 185*, 121-128.
- Vieta, E., Reinares, M., & Rosa, A.R. (2011). Staging bipolar disorder. *Neurotoxicity Research, 19*, 279-285.
- Vollebergh, W.A.M., Iedema, J., Bijl, R.V., De Graaf, R., Smit, F., & Ormel, J. (2001). The structure and stability of common mental disorders-the NEMESIS Study. *Archives of General Psychiatry, 58*, 597-603.
- Wardenaar, K.J., Giltay, E.J., Van Veen T., Zitman, F.G., & Penninx, B.W. (2012). Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. *Journal of Affective Disorders, 136*, 1198-1203.
- Wardenaar, K.J., Van Veen T., Giltay, E.J., De Beurs, E., Penninx, B.W., & Zitman, F.G. (2010). Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptom Questionnaire (MASQ). *Psychiatric Research, 179*, 101-106.
- Wardenaar, K.J., Vreeburg, S.A., Van Veen, T., Giltay, E.J., Veen, G., Penninx, B.W. et al. (2011). Dimensions of depression and anxiety and the hypothalamo-pituitary-adrenal axis. *Biological Psychiatry, 69*, 366-373.
- Ware, J. E., Jr. & Sherbourne, C.D. (1992). The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Medical Care, 30*, 473-483.
- Watson, D. & Clark, L.A. (1991). *The Mood and Anxiety Symptom Questionnaire*. Iowa City: University of Iowa, Department of Psychology.

Reference List

- Watson, D., Clark, L.A., Weber, K., Assenheimer, J.S., Strauss, M.E., & McCormick, R.A. (1995). Testing a tripartite model: II. Exploring the symptom structure of anxiety and depression in student, adult, and patient samples. *Journal of Abnormal Psychology, 104*, 15-25.
- Watson, D. & Tellegen, A. (1985). Toward a consensual structure of mood. *Psychological Bulletin, 98*, 219-235.
- Watson, D., Weber, K., Assenheimer, J.S., Clark, L.A., Strauss, M.E., & McCormick, R.A. (1995). Testing a tripartite model: I. Evaluating the convergent and discriminant validity of anxiety and depression symptom scales. *Journal of Abnormal Psychology, 104*, 3-14.
- Watson, D. (2005). Rethinking the Mood and Anxiety Disorders: A Quantitative Hierarchical Model for DSM-V. *Journal of Abnormal Psychology, 114*, 522-536.
- Widiger, T.A. & Samuel, D.B. (2005). Diagnostic Categories or Dimensions? A Question for the Diagnostic and Statistical Manual of Mental Disorders-Fifth Edition. *Journal of Abnormal Psychology, 114*, 494-504.
- Wing, J.K., Beevor, A.S., Curtis, R.H., Park, S.B., Hadden, S., & Burns, A. (1998). Health of the Nation Outcome Scales (HoNOS). Research and development. *British Journal of Psychiatry, 172*, 11-18.
- Wittchen, H.U., Carter, R.M., Pfister, H., Montgomery, S.A., & Kessler, R.C. (2000). Disabilities and quality of life in pure and comorbid generalized anxiety disorder and major depression in a national survey. *International Clinical Psychopharmacology, 15*, 319-328.
- Wittchen, H.U., Kessler, R.C., Beesdo, K., Krause, P., Hofler, M., & Hoyer, J. (2002). Generalized anxiety and depression in primary care: prevalence, recognition, and management. *Journal of Clinical Psychiatry, 63 Suppl 8*, 24-34.
- Wood, A.M., White, I.R., & Thompson, S.G. (2004). Are missing outcome data adequately handled? A review of published randomized controlled trials in major medical journals. *Clinical Trials, 1*, 368-376.
- Wright, B.D. & Masters, G.N. (1982). *Rating Scale Analysis, Rasch Measurement*. Chicago, IL: MESA press.
- Wright, B.D. & Stone, M.H. (1979). *Best Test Design: Rasch Measurement*. Chicago, IL: MESA press.
- Zinbarg, R.E. & Barlow, D.H. (1996). Structure of Anxiety and the Anxiety Disorders: A Hierarchical Model. [Article]. *Journal of Abnormal Psychology, 105*, 181-193.
- Zitman, F.G. (2012). Stagering, profilering en routine outcome monitoring. *Tijdschrift voor Psychiatrie, 54*, 979-984.

