

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/25834> holds various files of this Leiden University dissertation

Author: Mai Hoang Bien

Title: On some classes of modules and their endomorphism rings

Issue Date: 2014-05-27

Bibliography

- [1] S. Akbari, M. Arian-Nejad, M. L. Mehrabadi, *On additive commutator groups in division rings*, Results Math. **33**, 9–21, 1998.
- [2] B. Amini, A. Amini, A. Facchini, *Equivalence of diagonal matrices over local rings*, J. Algebra **320**, 1288–1310, 2008.
- [3] S. A. Amitsur, *Rational identities and applications to algebra and geometry*, J. Algebra **3**, 304–359, 1966.
- [4] D. W. Anderson and K. R. Fuller, “Rings and categories of modules”, Second Edition, GTM **13**, Springer-Verlag, New York, 1992.
- [5] K. I. Beidar, W. S. Martindale 3rd and A. V. Mikhaev, “Rings with Generalized Identities”, Marcel Dekker, Inc., New York-Basel-Hong Kong, 1996.
- [6] G. M. Bergman, *Every module is an inverse limit of injectives*, Proc. Amer. Math. Soc. **141**, 1177–1183, 2013.
- [7] M. H. Bien, *The endomorphism ring of a square-free injective module*, (accepted).
- [8] T. T. Bumby, *Modules which are isomorphic to submodules of each other*, Arch. Math. **16**, 184–185, 1965.
- [9] R. Camps and W. Dicks, *On semilocal rings*, Israel J. Math. **81**, 203–211, 1993.

- [10] J. Clark, *On max modules*, Proceedings of the 32nd Symposium on Ring Theory and Representation Theory (Yamaguchi, 1999), Tokyo Univ. Agric. Technol., Tokyo, 2000, pp. 23–32.
- [11] P. M. Cohn, “Free rings and their relations”, (Second edition), Academic Press, London Mathematical Society Monographs, 1985.
- [12] A. Facchini, *Loewy and artinian modules over commutative rings*, Ann. Mat. Pura Appl. **128**, 359–374, 1981.
- [13] A. Facchini, *Krull-Schmidt fails for serial modules*, Trans. Amer. Math. Soc. **348**, 4561–4575, 1996.
- [14] A. Facchini, “Module Theory. Endomorphism rings and direct sum decompositions in some classes of modules”, Progress in Math. **167**, Birkhäuser Verlag, Basel, 1998. Reprinted in Modern Birkhäuser Classics, Birkhäuser Verlag, Basel, 2010.
- [15] A. Facchini, *Direct-sum decompositions of modules with semilocal endomorphism rings*, Bull. Math. Sci. **2**, 225–279, 2012.
- [16] A. Facchini and M. H. Bien, *Maximal ideals of the endomorphism ring of an injective module*, J. Algebra Appl. **13** (4), 1350131, 21 pp, 2014.
- [17] A. Facchini and M. H. Bien, *Loewy modules with finite Loewy invariants and max modules with finite radical invariants*, (accepted).
- [18] A. Facchini, S. Ecevit, M. T. Kosan, *Kernels of morphisms between indecomposable injective modules*, Glasgow Math. J. **52**, 69–82, 2010.
- [19] A. Facchini and F. Halter-Koch, *Projective modules and divisor homomorphisms*, J. Algebra Appl. **2**, 435–449, 2003.
- [20] A. Facchini and D. Herbera, *Local morphisms and modules with a semilocal endomorphism ring*, Algebr. Represent. Theory **9**, 403–422, 2006.

- [21] C. Faith, “Algebra. II. Ring theory”. Grundlehren der Mathematischen Wissenschaften **191**, Springer-Verlag, Berlin-New York, 1976.
- [22] C. Faith, “Rings and things and a fine array of twentieth century associative algebra”, Mathematical Surveys and Monographs **65**, American Mathematical Society, Providence, RI, 1999.
- [23] C. Faith, *Quotient finite-dimensional modules with acc on subdirectly irreducible submodules are Noetherian*, Comm. Algebra **27**, 1807–1810, 1999.
- [24] P. Gabriel and U. Oberst, *Spektralkategorien und reguläre Ringe im von-Neumannschen Sinn*, Math. Zeitschr. **82**, 389–395, 1966.
- [25] K. R. Goodearl, “Von Neumann Regular Rings”, Second Edition, Krieger Publishing Co., Inc., Malabar, FL, 1991.
- [26] J. Hausen, *Modules with the summand intersection property*, Comm. Algebra **17**, 135–148, 1989.
- [27] D. Herbera and A. Shamsuddin, *Modules with semi-local endomorphism ring*, Proc. Amer. Math. Soc. **123**, 3593–3600, 1995.
- [28] W. Krull, *Zur Theorie der allgemeinen Zahlringe*, Math. Ann. **99**, 51–70, 1928.
- [29] T. Y. Lam, “A first course in noncommutative rings”, MGT **131**, Springer, 1991.
- [30] T.Y. Lam, “Lectures on modules and rings”, Graduate Texts in Mathematics **189**, Springer, Berlin, Heidelberg, New York, 1998.
- [31] T. Y. Lam, A. S. Dugas, *Quasi-duo rings and stable range descent*, J. Pure Appl. Algebra **195**, 243–259, 2005.
- [32] M. Mahdavi-Hezavehi, *Commutators in division rings revisited*, Bull. Iranian Math. Soc. **26**, 7–88, 2000.

- [33] E. Matlis, *Injective modules over Noetherian rings*, Pacific J. Math. **8**, 511–528, 1958.
- [34] P. Menal, *Cancellation modules over regular rings*, in “Proc. Granada Ring Theory Conference”, J. L. Bueso, P. Jara and B. Torrecillas eds., Lecture Notes in Math. **1328**, Springer, Berlin, 1988, pp. 187–208.
- [35] A. Orsatti and N. Rodinò, *On the endomorphism ring of an infinite-dimensional vector space*, in “Abelian Groups and Modules (Padova, 1994)”, A. Facchini and C. Menini eds., pp. 395–417, Math. Appl. **343**, Kluwer Acad. Publ., Dordrecht, 1995.
- [36] L. H. Rowen, “Polynomial identities in ring theory”, Academic Press, Inc., New York, 1980.
- [37] A. H. Schofield, “Representations of rings over skew fields”, London Math. Soc. Lecture Notes Series **92**, Cambridge University Press, Cambridge, 1985.
- [38] R. C. Shock, *Dual generalizations of the artinian and noetherian conditions*, Pacific J. Math. **54**, 227–235, 1974.
- [39] T. S. Shores, *Loewy series of modules*, J. Reine Angew. Math. **265**, 183–200, 1974.
- [40] B. Stenström, “Rings of quotients”, Springer-Verlag, Berlin-Heidelberg-New York, 1975.
- [41] P. Vámos, *The dual of the notion of “finitely generated”*, J. London Math. Soc. **43**, 643–646, 1968.
- [42] H. -P. Yu, *On quasi-duo rings*, Glasgow Math. J. **37**, 21–31, 1995.
- [43] R. B. Warfield, *Decompositions of injective modules*, Pacific J. Math. **31**, 263–276, 1969.
- [44] R. Wisbauer, *Correct classes of modules*, Algebra Discrete Math. **4**, 106–118, 2004.

Index

- additive group of a division algebra, 77
- algebra
 - central -, 77
 - central simple -, 77
 - division -, 77
- algebraic element, 80
- antifilter, 27
 - free -, 27
 - principal -, 27
 - proper -, 27
- centrally finite, 77
- cofilter, 39
- degree, 77
- dimension
 - dual Goldie -, 56
 - Goldie -, 55
 - infinite dual Goldie -, 56
 - infinite Goldie -, 55
 - Krull -, 57
 - left dual Goldie -, 56
 - left Goldie -, 55
 - right dual Goldie -, 56
 - right Goldie -, 55
- direct summand, 6
- domain, 10
- essential extension, 7
- filter, 27
 - free -, 27
 - principal -, 27
 - proper -, 27
- height one (monoid), 35
- ideal
 - dense -, 9
 - essential right -, 7
 - maximal trace -, 34
 - trace -, 34
- ideal (lattice), 27
- idempotent element, 7
- identity
 - non-trivial rational -, 79
 - trivial rational -, 79
- independent, 42, 55
 - right linearly -, 12
- injective envelope, 8
- injective hull, 8

invariant
 Loewy -, 54
 radical -, 60
Jacobson radical, 14
length
 - of a chain, 58
 - of a module, 58
 Loewy -, 54
 max -, 60
local homomorphism, 58
localization, 37
maximal left ring of quotients, 11
maximal right ring of quotients, 10
maximal support, 45
module
 couniform -, 18
 couniform projective -, 18
 cyclically presented -, 18
 free -, 8
 hollow -, 18
 indecomposable -, 14
 indecomposable injective -, 14
 injective -, 6
 Loewy -, 54
 max -, 59
 min -, 54
 non-singular -, 9
 projective -, 8
 q.f.d. -, 61
 quotient finite dimensional -, 61
 semiartinian -, 54
 seminoetherian -, 60
 semisimple -, 9
 Shock -, 75
 simple -, 9
 square-free -, 15
 square-free injective -, 16
 uniform -, 55
 uniserial -, 18
monoid
 reduced -, 34
multiplicative group of a division algebra,
 77
prime ideal (monoid), 34
radical of a module, 59
regular cardinal, 13
rational
 - expression, 78
 - identity, 78
reduced localization, 37
ring
 duo -, 17
 free ideal -, 12
 hereditary -, 8
 left duo -, 17
 left hereditary -, 8
 left non-singular -, 10
 left perfect -, 57

left quasi-duo -, 17
non-singular -, 10
perfect -, 58
prime -, 80
quasi-duo -, 17
right duo -, 17
right hereditary -, 8
right non-singular -, 10
right perfect -, 57
right quasi-duo -, 17
semilocal -, 57
semiprimary -, 57
semisimple artinian -, 9
type n -, 17
von Neumann regular -, 14

ultrafilter, 27

series

radical -, 59

spectrum (monoid), 34

submodule

dense -, 9

essential -, 7

Loewy -, 53

small -, 7

superfluous -, 7

submonoid

divisor-closed -, 34

trace, 34

ultraantifilter, 27

ultracofilter, 40

