

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/43389> holds various files of this Leiden University dissertation

**Author:** Bingen, Brian O.

**Title:** Molecular and cellular determinants of cardiac tachyarrhythmias: from trigger to therapy

**Issue Date:** 2016-10-05

**Molecular and cellular determinants of  
Cardiac tachyarrhythmias:**

From trigger to therapy

B.O. Bingen

**Colophon**

The studies described in this thesis were performed at the department of Cardiology of the Leiden University Medical Center, Leiden, the Netherlands. Thesis, Leiden University, the Netherlands

© Copyright 2016 B. O. Bingen

*Printed by:* Gildeprint Enschede

*ISBN:* 978-94-6233354-3

*Cover:* B.O. Bingen

# **Molecular and cellular determinants of Cardiac tachyarrhythmias:**

From trigger to therapy

## **PROEFSCHRIFT**

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker  
volgens besluit van het College voor Promoties  
te verdedigen op woensdag 5 oktober 2016  
klokke 15.00 uur

door

Brian Oscar Bingen

Geboren te Den Helder

In 1987

**Promotor:**

Prof. dr. M.J. Schalij

**Co-Promotores:**

Dr. D.A. Pijnappels

Dr. A.A.F. de Vries

**Leden promotiecommissie:**

Prof. dr. D.E. Atsma

Prof. dr. K. Zeppenfeld

Prof. dr. M.J. Goumans

Prof. dr. A.V. Panfilov (Universiteit van Gent)

Prof. dr. U. Schotten (Universiteit van Maastricht)

The research described in this thesis was supported by a grant of the Dutch Heart Foundation (DHF-2012T023)

## TABLE OF CONTENTS

<b>Chapter I</b>	General introduction and outline of thesis	7
<b>Chapter II</b>	Similar arrhythmicity in hypertrophic and fibrotic cardiac cultures caused by distinct substrate-specific mechanisms. – <i>Cardiovasc Res.</i> 2013;97:171-81.	29
<b>Chapter III</b>	Prolongation of minimal action potential duration in sustained fibrillation decreases complexity by transient destabilization. – <i>Cardiovasc Res.</i> 2013;97:161-70	59
<b>Appendix I &amp; II</b>		89
	Letter to the editor by Wolkowicz et al.; Prolongation of minimal action potential duration in sustained fibrillation decreases complexity by transient destabilization. – <i>Cardiovasc Res.</i> 2013;98:155-6 Reply from authors – <i>Cardiovasc Res.</i> 2013;98:156-7	
<b>Chapter IV</b>	Atrium-specific Kir3.x determines inducibility, dynamics, and termination of fibrillation by regulating restitution-driven alternans. – <i>Circulation.</i> 2013;128:2732-44.	101
<b>Chapter V</b>	Constitutively active acetylcholine-dependent potassium current increases atrial defibrillation threshold by favoring post-shock re-initiation. – <i>Submitted for publication</i>	139
<b>Chapter VI</b>	Light-induced termination of spiral wave arrhythmias by optogenetic engineering of atrial cardiomyocytes. – <i>Cardiovasc Res.</i> 2014;104:194-205	177
<b>Appendix III</b>		207
	CardioPulse: first evidence for shockless atrial Fibrillation treatment: cardiac optogenetics achieve defibrillation without the pain of electric shocks. – <i>Eur Heart J.</i> 2014;35:2702	
<b>Chapter VII</b>	Summary, Conclusions, Discussion and Future perspectives	211
<b>List of publications</b>		239
<b>Acknowledgements</b>		245
<b>Curriculum Vitae</b>		249

