

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/44782> holds various files of this Leiden University dissertation

Author: Semenova, Tatiana A.

Title: Fungi of the greening Arctic : compositional and functional shifts in response to climatic changes

Issue Date: 2016-12-07

References

Abarenkov K, Nilsson RH, Larsson KH, et al. 2010. The UNITE database for molecular identification of fungi – recent updates and future perspectives. *New Phytologist* **186**: 281–285.

Addy HD, Piercey MM, Currah RS. 2005. Microfungal endophytes in roots. *Canadian Journal of Botany* **83**:1–13.

Adler LS, de Valpine P, Harte J, Call J. 2007. Effects of long-term experimental warming on aphid density in the field. *Journal of the Kansas Entomological Society* **80**(2): 156-168.

Alheit J, Hagen E. 1997. Long-term climate forcing of European herring and sardine populations. *Fish Oceanography* **6**:130–139.

Allison NL, Bindoff RA, Bindschadler PM, et al. 2009. The Copenhagen Diagnosis: Updating the World on the Latest Climate Science, The University of New South Wales Climate Change Research Centre (CCRC), Sydney, Australia, 60pp.

Allison SD, Treseder KK. 2008. Warming and drying suppress microbial activity and carbon cycling in boreal forest soils. *Global Change Biology* **14**: 2898-2909.

Amend AS, Seifert KA, Bruns TD. 2010. Quantifying microbial communities with 454 pyrosequencing: does read abundance count? *Molecular Ecology* **19**: 5555-5565.

Anderson IC, Drigo B, Keniry K, et al. 2013. Interactive effects of preindustrial, current and future atmospheric CO₂ concentrations and temperature on soil fungi associated with two Eucalyptus species. *FEMS Microbiology Ecology* **83**:425-437.

Anderson MJ. 2001. A new method for non-parametric multivariate analysis of variance. *Austral Ecology* **26**: 32–46.

Anisimov OA, Vaughan DG, Callaghan TV, et al. 2007. Polar regions (Arctic and Antarctic). Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change (Parry ML, Canziani OF, Palutikof JP, van der Linden PJ & Hanson CE, eds), pp. 653–685. Cambridge University Press, Cambridge, UK.

Arft AM, Walker MD, Gurevitch J, et al. 1999. Responses of tundra plants to experimental warming: meta-analysis of the international tundra experiment. *Ecological Monographs* **69**(4): 491-511.

- Arnold AE, Miadlikowska J, Higgins KL, et al. 2009.** A phylogenetic estimation of trophic transition networks for ascomycetous fungi: Are lichens cradles of symbiotrophic fungal diversification? *Systematic Biology* **58**:283–297.
- Banfield AWF. 1972.** Are arctic ecosystems really fragile? Int. Reindeer. Caribou Symp., 1st. Fairbanks, Alaska: *Institute of Arctic Biology*. 1 6. Bank, T. P. 1958.
- Barbeito I, Brücker RL, Rixen C, et al. 2013.** Snow Fungi- Induced mortality of *Pinus cembra* at the alpine treeline: evidence from plantations. *Arctic, Antarctic and Alpine research* **45(4)**: 455-470.
- Barnett DN, Brown SJ, Murphy JM, et al. 2006.** Quantifying uncertainty in changes in extreme event frequency in response to doubled CO₂ using a large ensemble of GCM simulations. *Climate Research* **26**: 511 – 889.
- Beebee TJC. 1995.** Amphibian breeding and climate change. *Nature* **374**: 219-220.
- Bellard C, Bertelsmeier C, Leadley P, et al. 2012.** Impacts of climate change on the future of biodiversity. *Ecology Letters* **15(4)**:365-377.
- Bellemain E, Davey ML, Kausrud H, et al. 2013.** Fungal paleodiversity revealed using high-throughput metabarcoding of ancient DNA from arctic permafrost. *Environmental Microbiology* **15(4)**: 1176-1189.
- Bintaja R, Selten FM. 2014.** Future increases in arctic precipitation linked to local evaporation and sea-ice retreat. *Nature* **509**: 479-482.
- Bintanja R, Graverson RG, Hazeleger W. 2011.** Arctic winter warming amplified by the thermal inversion and consequent low infrared cooling to space. *Nature Geoscience* **4**, doi:10.1038/NGEO1285.
- Bjorbækmo MFM, Carlsen T, Brysting A, et al. 2010.** High diversity of root associated fungi in both alpine and arctic *Dryas octopetala*. *BMC Plant Biology* **10**: 244.
- Blaalid R, Carlsen T, Kumar S, et al. 2012.** Changes in the root-associated fungal communities along a primarily succession gradient analysed by 454 pyrosequencing. *Molecular Ecology* **21(8)**: 1897 - 1908.
- Blackwell M. 2011.** The Fungi: 1,2,3 ... 5.1 million species? *American Journal of Botany* **98**: 426-438.
- Bliss LC, Courtin GM, Pattie DL, et al. 1973.** Arctic tundra ecosystems. *Annual Review of Ecology, Evolution, and Systematics* **4**: 359-399.
- Blok D, Weijers S, Welker JM, Cooper E, Michelsen A, Elberling B. 2015.** Deepened winter snow increases stem growth and alters stem 13C and 15N in evergreen dwarf shrub

Cassiope tetragona in high-arctic Svalbard tundra. *Ecological Research Letters* **10**: 044008.

Borner AP, Kielland K, Walker MD. 2008. Effects of simulated climate change on plant phenology and nitrogen mineralization in Alaskan arctic tundra. *Arctic, Antarctic and Alpine Research* **40**:27-38.

Boxman AW, Sinke RJ, Roelofs J.G.M. 1986. Effects of HN_4^+ on the growth and K^+ uptake of various ectomycorrhizal fungi in pure culture. *Water, Air and Soil pollution* **31**: 517-522.

Brown JL, Shou-Hsien L, Bhagabati N. 1999. Long-term trend toward earlier breeding in an American bird: A response to global warming? *Proceedings of the National Academy of Sciences* **96**: 5565.

Brown SP, Callahan MAJr, Oliver AK, et al. 2013. Deep Ion Torrent sequencing identifies soil fungal community shifts after prescribed fires in a south-eastern US forest ecosystem. *FEMS Microbiology Ecology* **86(3)**: 557-566.

Bruns TD, White TJ, Taylor JW. 1991. Fungal Molecular Systematics. *Annual Review of Ecology and Systematics* **22**: 525–564.

Buckeridge KM, Grogan P. 2008. Deepened snow alters soil microbial nutrient limitations in arctic birch hummock tundra. *Applied Soil Ecology* **39**:210-222.

Butler JH, Montzka SA. 2016. The NOAA annual greenhouse gas index (AGGI). Earth System Research Laboratory, <http://esrl.noaa.gov/>.

Butler MJ, Day AW. 1998. Fungal melanins: a review. *Canadian Journal of Microbiology* **44**:1115-1136.

Campbell BJ, Polson SW, Hanson TE, et al. 2010. The effect of nutrient deposition on bacterial communities in Arctic tundra soil. *Environmental Microbiology* **12**: 1842-1854.

Chapin FS. III, Shaver GR, Giblin AE, et al. 1995. Responses of Arctic tundra to experimental and observed changes in climate. *Ecology* **76**:694–711.

Classen AT, Sundqvist MK, Henning JA, et al. 2015. Direct and indirect effects of climate change on soil microbial and soil microbial-plant interactions: What lies ahead? *Ecosphere* **6(8)**: 130.

Clemmensen KE, Michelsen A, Jonasson S, Shaver GR. 2006. Increased ectomycorrhizal fungal abundance after long-term fertilization and warming of two arctic tundra ecosystems. *New Phytologist* **171(2)**: 391-404.

Clemmensen KE, Ovaskainen ABO, Dahlberg A, et al. 2013. Roots and associated fungi drive long-term carbon sequestration in boreal forest. *Science* **339**:1615.

Coleman DC, Whitman WB. 2005. Linking species richness, biodiversity and ecosystem function in soil systems. *Pedobiologia* **49**:479-497.

Collins M, Knutti R, Arblaster J, et al. 2013. Long-term climate change: Projections, commitments and irreversibility. In *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Stocker, T.F., Qin, D., Plattner, G.-K., Tignor, M., Allen, S.K., Doschung, J. et al. (Eds.). Cambridge, UK, Cambridge University Press, pp. 1029-1136.

Comiso JC, Hall DK. 2014. Climate trends in the Arctic as observed from space. *Wiley Interdiscip. Reviews in Climate Change* **3**: 389-409.

Cornelissen JHC, Callaghan TV, Alatalo JM, et al. 2001. Global change and arctic ecosystems: is lichen decline a function of increases in vascular plant biomass? *Journal of Ecology* **89**:984-994.

Corsaro D, Walochnik J, Venditti D, Steinmann J, Müller KH, Michel R. 2014. Microsporidia-like parasites of amoebae belong to the early fungal lineage Rozellomycota. *Parasitology Research* **113**:1909–1918.

Cox PM, Betts RA, Jones CD, Spall SA, Totterdell IJ. 2000. Acceleration of global warming due to carbon cycle feedbacks in a coupled climate model. *Nature* **408**: 184-187.

Crick HQP, Dudley C, Glue DE, Thomson, DL. 1997. UK birds are laying eggs earlier. *Nature* **388**: 526.

Crowther TW, Boddy L, Jones TH. 2012. Functional and ecological consequences of saprotrophic fungus-grazer interactions. *ISMEJ* **6(11)**: 1992-2001.

Dahlberg A, Bültmann H. 2013. Fungi. Chapter 10 in *Arctic Biodiversity Assessment. Status and trends in Arctic Biodiversity. Conservation of Arctic Flora and Fauna (CAFF)*. Edited by Hans Meltofte. Narayana Press, Denmark, 676 pp.

DeAngelis KM, Pold G, Topcuoglu BD, et al. 2015. Long-term forest soil warming alters microbial communities in temperate forest soils. *Frontiers in Microbiology* **6**.

DeMarco J, Mack MC, Bret-Harte MS. 2011. The Effects of Snow, Soil Microenvironment, and Soil Organic Matter Quality on N Availability in Three Alaskan Arctic Plant Communities. *Ecosystems* **14**: 804–817.

Derksen C, Brown R, Mudryk L, et al. 2015. Terrestrial Snow Cover. In *Arctic Report Card: Update for 2015*. NOAA Press Release. <http://www.arctic.noaa.gov/reportcard>.

Deslippe JR, Hartmann M, Mohn WW, et al. 2011. Long-term experimental manipulation of climate alters the ectomycorrhizal community of *Betula nana* in Arctic tundra. *Global Change Biology* **17(4)**: 1625-1636.

- Deslippe JR, Hartmann M, Simard SW, et al. 2012.** Long-term warming alters the composition of Arctic soil microbial communities. *FEMS Microbiology Ecology* **82**:303–315.
- Devi LS, Khaund P, Nongkhaw FMW, Joshi SR. 2012.** Diversity of culturable soil micro-fungi along altitudinal gradients of Eastern Himalayas. *Mycobiology* **40**(3): 151-158.
- Dlugokencky EJ, et al. 2005:** Conversion of NOAA CMDL atmospheric dry air CH₄ mole fractions to a gravimetrically prepared standard scale. *Journal of Geophysical Research* **110**, D18306, doi:10.1029/2005JD006035
- Dollery R, Hodkinson ID, Jonsdottir IS. 2006.** Impact of warming and timing of snow melt on soil microarthropod assemblages associated with Dryas-dominated plant communities on Svalbard. *Ecography* **29**(1): 111-119.
- Dufrêne M, Legendre P. 1997.** Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* **67**: 345-366.
- Dunn PO, Cockburn A. 1999.** Extrapair mate choice and honest signaling in cooperatively breeding superb fairy-wrens. *Evolution* **53**:938-946.
- Edgar RC, 2010.** Search and clustering orders of magnitude faster than BLAST. *Bioinformatics* **26**(19): 2460-2461.
- Edgar RC, Haas BJ, Clemente JC, Quince C, Knight R. 2011.** UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics* **27**: 2194–2200.
- Etheridge DM, Steele LP, Francey RJ, Langenfields RL. 1998.** Atmospheric methane between 1000 A.D. and present: Evidence of anthropogenic emissions and climatic variability. *Journal of Geophysical Research* **103**:15979-15993.
- Fahnestock JT, Povirk K.A, Welker JM, 2000.** Abiotic and biotic effects of increased litter accumulation in arctic tundra. *Ecography* **23**: 623-631.
- Feely RA, et al. 2004.** Impact of anthropogenic CO₂ on the CaCO₃ system in the oceans. *Science* **305**: 362– 366.
- Fernandez CW, Koide RT. 2013.** The function of melanin in the ectomycorrhizal fungus *Cenococcum gophillum* under water stress. *Fungal Ecology* **6**:479-486.
- Fierer N, Jackson RB. 2006.** The diversity and biogeography of soil bacterial communities. *Proceedings of the National Academy of Sciences USA* **103**: 626–631.
- Ford JD, McDowell G, Jones J. 2014.** The state of climate change adaptation in the Arctic. *Environmental Research Letters* **9**, 9 p. doi:10.2105/AJPH.2010.300105.

- Frostegård A, Bååth E. 1996.** The Use of Phospholipid Fatty Acid Analysis to Estimate Bacterial and Fungal Biomass in Soil. *Biology and fertility of soils* **22(1)**:59-65.
- Gardes M, Dahlberg A. 1996.** Mycorrhizal diversity in arctic and alpine tundra: An open question. *New Phytologist* **133**: 147–157.
- Geml J, Gravendeel B, Nielen M, et al. 2014a.** DNA metabarcoding reveals high fungal diversity and pH-correlated habitat partitioning in protected coastal *Salix repens* communities in the Netherlands. *PLOS ONE* **9(6)**:e99852.
- Geml J, Laursen GA, Herriott IC, et al. 2010.** Phylogenetic and ecological analyses of soil and sporocarp DNA sequences reveal high diversity and strong habitat partitioning in the boreal ectomycorrhizal genus *Russula* (Russulales; Basidiomycota). *New Phytologist* **187**: 494-507.
- Geml J, Laursen GA, Taylor DL. 2008.** Molecular diversity assessment of arctic and boreal *Agaricus* taxa. *Mycologia* **100**: 577–589.
- Geml J, Laursen GA, Timling I, et al. 2009.** Molecular phylogenetic biodiversity assessment of arctic and boreal ectomycorrhizal *Lactarius* Pers. (Russulales; Basidiomycota) in Alaska, based on soil and sporocarp DNA. *Molecular Ecology* **18**: 2213–27.
- Geml J, Morgado LN, Semenova TA, et al. 2015.** Long-term warming alters richness and composition of taxonomic and functional groups of arctic fungi. *FEMS Microbiology Ecology* **91**: 1-13.
- Geml J, Pastor N, Fernandez L, et al. 2014.** Large-scale fungal diversity assessment in the Andean Yungas forests reveals strong community turnover among forest types along an altitudinal gradient. *Molecular Ecology* **23(10)**:2452-2472.
- Geml J, Timling I, Robinson CH, et al. 2012.** An arctic community of symbiotic fungi assembled by long-distance dispersers: phylogenetic diversity of ectomycorrhizal basidiomycetes in Svalbard based on soil and sporocarp DNA. *Journal of Biogeography* **39**: 74–88.
- Ghen G, Zhu Y, Wang HZ, et al. 2007.** The metabolites of a mangrove endophytic fungus, *Penicillium thomii*. *Journal of Asian Natural Products Research*. **9(2)**: 159-164.
- Gihring TM, Green SJ, Schadt CW. 2012.** Massively parallel rRNA gene sequencing exacerbates the potential for biased community diversity comparisons due to variable library sizes. *Environmental Microbiology* **14**:285–290.
- Grabherr G, Gottfried M, Pauli H. 1994.** Climate effects on mountain plants. *Nature* **369**: 448.

- Grace J, Berninger F, Lazlo N. 2002.** Impacts of climate change on the tree line. *Annals of Botany* **90(4)**: 537-544.
- Graversen RG, Wang M. 2009.** Polar amplification in a coupled climate model with locked albedo. *Climate Dynamics* **33(5)**.
- Graversen RG. 2006.** Do changes in the midlatitude circulation have any impact on the arctic surface air temperature trend? *Journal of climate* **19**: 5422-5438.
- Grelet GA, Johnson D, Vrålstad T, Alexander IJ, Anderson IC. 2010.** New insights into the mycorrhizal *Rhizoscyphus ericae* aggregate: spatial structure and co-colonization of ectomycorrhizal and ericoid roots. *New Phytologist* **188(1)**: 210-222.
- Griffin DM. 1963.** Soil moisture and the ecology of soil fungi. *Biological reviews* **38(2)**: 141-166.
- Grime JP. 2001.** Plant strategies, vegetation processes, and ecosystem properties. Chichester, UK: John Wiley & Sons. 456 pp.
- Guhr A, Borken W, Spohn M, Matzner E. 2015.** Redistribution of soil water by a saprotrophic fungus enhances carbon mineralization. *PNAS* **112(47)**:14647-14651.
- Gutknecht JLM, Field CB, Balser TC. 2012.** Microbial communities and their responses to simulated global change fluctuate greatly over multiple years. *Global Change Biology* **18**:2256-2269.
- Hambleton S, Sigler L. 2005.** *Meliniomyces*, a new anamorph genus for root-associated fungi with phylogenetic affinities to *Rhizoscyphus ericae* (*Hymenoscyphus ericae*), Leotiomycetes. *Studies in Mycology* **53(1)**: 1-27.
- Hasle TE. 2013.** *The effect of experimental warming on insect herbivory in an alpine plant community*. M.Sc. Thesis. Norwegian University of Life Sciences.
- Hawksworth D. 2001.** The magnitude of fungal diversity: the 1.5 million species estimate revisited. *Mycological Research* **105(12)**: 1422-1432.
- Hayden HL, Mele PM, Bougoure DS, et al. 2012.** Changes in the microbial community structure of bacteria, archaea and fungi in response to elevated CO₂ and warming in an Australian native grassland soil. *Environmental Microbiology* **14**: 3081-3096.
- Henry GHR, Molau U. 1997.** Tundra plants and climate change: The International Tundra Experiment (ITEX). *Global Change Biology* **3**: 1-9.
- Hersteinsson P, MacDonald DW. 1992.** Interspecific competition and the geographical distribution of red and arctic foxes *Vulpes vulpes* and *Alopex lagopus*. *Oikos* **64**: 505-515.

- Higgins KL, Arnold AE, Miadlikowska J, et al. 2007.** Phylogenetic relationships, host affinity, and geographic structure of boreal and arctic endophytes from three major plant lineages. *Molecular Phylogenetics and Evolution* **42**:543–555.
- Hobbie JE, Hobbie EA, Drossman H, et al. 2009.** Mycorrhizal fungi supply nitrogen to host plants in Arctic tundra and boreal forests: ¹⁵N is the key signal¹. *Canadian Journal of Microbiology* **55**: 84–94.
- Hobbie JE, Hobbie EA. 2006.** ¹⁵N in symbiotic fungi and plants estimates nitrogen and carbon flux rates in Arctic tundra. *Ecology* **87**: 816–822.
- Hobbie JE. 2008.** A mycorrhizal fungus, *Cortinarius favrei*, grows among associated plant species in the Alaskan tundra. <http://ecoed.net/browse/browseRecords/detail?recordId=486>
- Holbrook SJ, Schmitt RJ, Stephens JSJr. 1997.** Changes in an assemblage of temperate reef fishes associated with a climate shift. *Ecological Applications* **7**: 1299–1310.
- Hollingsworth TN, Walker MD, Chapin FS III, Parsons AL. 2006.** Scale-dependent environmental controls over species composition in Alaskan black spruce communities. *Canadian Journal of Forest Research*, **36**: 1781–1796
- Hollister RD, Webber PJ, Bay C. 2005.** Plant response to temperature in Northern Alaska: implications for predicting vegetation change. *Ecology* **86**:1562–1570.
- Hulsen T, de Vlieg J, Alkema W. 2008.** Bio-Venn- a web application for the comparison and visualization of biological lists using area-proportional Venn diagrams. *BMC Genomics* **9(1)**: 488.
- Hustad VP, Miller AN, Dentinger BTM, Cannon PF. 2013.** Generic circumscriptions in *Geoglossomyces*. *Persoonia* **31**: 101–111.
- Ihrmark K, Bödeker ITM, Cruz-Martinez K, et al. 2012.** New primers to amplify the fungal ITS2 region—evaluation by 454-sequencing of artificial and natural communities. *FEMS Microbiology Ecology* **82**: 666–677.
- Inouye DW, Barr B, Armitage KB, Inouye BD. 2000.** Climate change is affecting altitudinal migrants and hibernating species. *Proceedings of the National Academy of Sciences of the United States* **97**:1630–1633. doi:10.1073/pnas.97.4.1630.
- IPCC, 1990.** Climate Change. The IPCC Scientific Assessment. Houghton JT, Jenkins GJ, Ephraums JJ, eds. Cambridge university press, Cambridge, United Kingdom and New York, NY, USA.
- IPCC, 2007.** Climate change 2007, synthesis report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Core Writing Team, Pachauri, R.K., Reisinger, A. (Eds). IPCC, Geneva, Switzerland, 104 pp.

- IPCC. 2013.** Stocker TF, Qin D, Plattner GK, Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM, eds. Climate change 2013: the physical science basis. Contribution of *Working Group I to the Fifth Assessment Report Panel of the Intergovernmental Panel on Climate Change* Cambridge, UK & New York, NY, USA: Cambridge University Press, 1535 pp.
- Jägerbrand AK, Alatalo JM, Chrimes D, Molau U. 2009.** Plant community responses to 5 years of simulated climate change in meadow and heath ecosystems at a subarctic-alpine site. *Oecologia* **161**:601-610.
- Jeffries MO, Richter-Menge JA, Overland JE, eds. 2012.** “Arctic Report Card 2012.” National Oceanic and Atmospheric Administration. Retrieved online 2/22/2013 from <http://www.arctic.noaa.gov/reportcard>.
- Joly K, Jandt RR, Klein DR. 2009.** Decrease of lichens in Arctic ecosystems: the role of wildfire, caribou, reindeer, competition and climate in north-western Alaska. *Polar Research* **28**: 433-442.
- Jones MH, Fahnestock JT, Walker DA, et al. 1998.** Carbon dioxide fluxes in moist and dry arctic tundra during the snow-free season: responses to increases in summer temperature and winter snow accumulation. *Arctic and Alpine Research* **30**: 373-380.
- Jumpponen A, Jones KL. 2013.** Tallgrass prairie soil fungal communities are resilient to climate change. *Fungal Ecology* **XXX**:1-14.
- Jumpponen A, Trappe JM. 1998.** Dark septate endophytes: a review of facultative biotrophic root-colonizing fungi. *New Phytologist* **140**: 295–310.
- Kade A., Walker DA, Reynolds MK. 2005.** Plant communities and soils in cryoturbated tundra along a bioclimate gradient in the Low Arctic, Alaska. *Phytocoenologia* **35**: 761–820.
- Kaplan E. 1996.** Biomes of the World: Tundra. Hong Kong: Marshall Cavendish Corporation.
- Kardol P, Jonathan R, Wardle DA. 2014.** Local plant adaptation across a subarctic elevational gradient. *Royal Society Open Science* **1**:140-141.
- Kattsov VM, Walsh JE. 2000.** Twentieth-century trends of Arctic precipitation from observational data and a climate model simulation. *Journal of Climate* **13**: 1362–1370.
- Kaufman DS, Schneider DP, McKay MP, et al. 2009.** Recent warming reverses long-term Arctic cooling. *Science* **325**: 1236-1239.
- Kauserud H, Kumar S, Brysting AK, et al. 2012.** High consistency between replicate 454 pyrosequencing analyses of ectomycorrhizal plant root samples. *Mycorrhiza* **22**: 309–315.

- Kennedy AD. 1995.** Antarctic terrestrial ecosystem response to global environmental change. *Annual Review of Ecology, Evolution, and Systematics* **26**: 683–704.
- Kharin VV, Zwiers FW. 2005.** Estimating extremes in transient climate change simulations. *Journal of Climate* **18**: 1156–1173.
- Kharuk VI, Ranson KJ, Sergey IT, Oskorbin PA, et al. 2013.** Tree-line structure and dynamics at the northern limit of the Larch forest: Anabar Plateau, Siberia, Russia. *Arctic, Antarctic and Alpine Research* **45**:526-537.
- Knudsen GR, Stack JP, Schuhmann SO, Orr K, LaPaglia C. 2006.** Individual-Based Approach to Modeling Hyphal growth of a biocontrol fungus in soil. *Phytopathology* **96**:1108-1115.
- Koenigk T, Brodeau L, Graverson RG, et al. 2013.** Arctic climate change in 21st century CMIP5 simulations with EC-Earth. *Climate Dynamics* **40**:2719-2743.
- Kohn LM, Stasovski E. 1990.** The mycorrhizal status of plants at Alexandra Fiord, Ellesmere Island, Canada, a high arctic site. *Mycologia* **82**: 23-35.
- Kõljalg U, Nilsson RH, Abarenkov K, et al. 2013.** Towards a unified paradigm for sequence-based identification of Fungi. *Molecular Ecology* **22(21)**: 5271-5277.
- Kug JS, Jeong JH, Jang YS, et al. 2015.** Two distinct influences of Arctic warming on cold winters over North America and East Asia. *Nature Geoscience* **8**: 759-762.
- Kullman L. 2001.** 20th century climate warming and tree-limit rise in the southern Scandes of Sweden. *AMBIO: A Journal of the Human Environment - BioOne* **30(20)**:72-80.
- Kytöviita MM, Ruotsalainen AL. 2007.** Mycorrhizal benefit in two low Arctic herbs increases with increasing temperature. *American Journal of Botany* **94**: 1309-1315.
- Larsen KS, Grogan P, Jonasson S, et al. 2007.** Respiration and microbial dynamics in two subarctic ecosystems during winter and spring thaw: effects of increased snow depth. *Arctic, Antarctic and Alpine Research*, **39(2)**:9 pp.
- Leffler JA, Klein ES, Oberbauer SF, Welker JM. 2016.** Coupled long-term summer warming and deeper snow alters species composition and stimulates gross primary productivity in tussock tundra. *Oecologia* **181**: 287-297.
- Lindahl BD, Nilsson RH, Tedersoo L, et al. 2013.** Fungal community analysis by high-throughput sequencing of amplified markers—a user’s guide. *New Phytologist* **199(1)**: 288–299.
- Loranty MM, Goetz SJ. 2012.** Shrub expansion and climate feedbacks in Arctic tundra. *Environmental Research Letters* **7**:011005.

Ludley KE, Robinson CH, 2008. Decomposer Basidiomycota in Arctic and Antarctic ecosystems. *Soil Biology and Biochemistry* **40**: 11e29.

Lüthy D, Floch M, Bereiter B, et al. 2008. High-resolution carbon dioxide concentration record 650,000-800,000 years before present. *Nature* **453**:379-382.

Mann ME, Jones PD. 2003. Global surface temperatures over the past two millennia. *Geophysical Research Letters* **30**: 15-18.

Margesin R, Schinner F. 1994. Properties of cold adapted microorganisms and their potential role in biotechnology. *Journal of Biotechnology* **33(1)**: 1-14.

Marion GM, Henry GHR, Freckman DW, et al. 1997. Open-top designs for manipulating field temperature in high-latitude ecosystems. *Global Change Biology* **3(1)**: 20-32.

McCune B, Grace JB. 2002. Analyses of Ecological Communities. *MjM Software, Glenden Beach, Oregon, USA*. 304 pp.

McMahon SK, Wallenstein MD, Schimel JP. 2009. Microbial growth in Arctic tundra soil at -2 deg C. *Environmental Microbiology Reports* **1**: 162–166.

Meehl GA, Arblaster JM, Tebaldi C. 2005. Understanding future patterns of increased precipitation intensity in climate model simulations. *Geophysical Research Letters* **32**:L18719.

Menzel A, Estrella N. 2001. Plant phenological changes. In: *Fingerprints of Climate change – adapted behavior and shifting species ranges*, Walther GR, Burga CA, Edwards PJ, eds., Kluwer/Plenum, New York/ London, 123-137.

Mercado-Diaz J. 2011. Changes in composition and structure of plant communities in the Alaskan Arctic Tundra after 14 years of experimental warming and snow manipulation. MS Thesis, Chapter 3. University of Porto Rico.

Meshinev T, Apostolova I, Koleva E. 2000. Influence of warming on timberline rising: a case study on *Pinus peuce* Griseb. In Bulgaria. *Phytocoenologia* **30 (3-4)**:431-438.

Michaelson GL, Ping CL, Epstein H, Kimbe JM, Walker DA. 2008. Soils and forest boil ecosystems across the North American Arctic Transect. *Journal of Geophysical Research: Biogeosciences* **113**: G3.

Min YJ, Park MS, Fong JJ, et al. 2014. Diversity and Saline Resistance of Endophytic Fungi Associated with *Pinus thunbergii* in Coastal Shelterbelts of Korea. *Journal of Microbiology and Biotechnology*. **24(3)**: 324-333.

Minnis AM, Lindner DL. 2013. Phylogenetic evaluation of *Geomyces* and allies reveals no close relatives of *Pseudogymnoascus destructans*, comb. nov., in bat hibernacula of eastern North America. *Fungal Biology* **117(9)**: 638-49.

- Montoya JM, Raffaelli D. 2010.** Climate change, biotic interactions and ecosystem services. *Philosophical transactions of the Royal Society B* **365**: 201302018.
- Morgado LN. 2016.** Peeking into the future: Fungi of the greening Arctic. PhD thesis. GVO printers & designers. 159 pp.
- Morgado LN, Semenova TA, Welker JM, et al. 2015.** Summer temperature increase has distinct effect on the ectomycorrhizal fungal communities of moist tussock and dry tundra in Arctic Alaska. *Global Change Biology* **21(2)**: 959-72.
- Morgado LN, Semenova TA, Welker JM, et al. 2016.** Long-term increase in snow depth leads to compositional changes in arctic ectomycorrhizal fungal communities. *Global Change Biology* **22(9)**:3080-3096.
- Morgado LN, Semenova TA, Welker JM, Walker MD, Smets E, Geml J. 2014.** Summer temperature increase has distinct effect on the ectomycorrhizal fungal communities of moist tussock and dry tundra in Arctic Alaska. *Global Change Biology* **21(2)**: 959-972.
- Nadelhoffer K, Shaver G, Fry B, Giblin A, Johnson L, McKane R. 1996.** ¹⁵N abundances and N use by tundra plants. *Oecologia* **107**: 386-394.
- Naeem S, Chair FS, Costanza R, et al. 1999.** Biodiversity and Ecosystem Functioning: Maintaining Natural Life Support Processes. *Issues in Ecology* **4**: 14 pp.
- Natali SM, Mack CM. 2011.** Fungal feedback to climate change. *Nature Climate Change* **1**: 192-193.
- Natali SM, Schuur EAG, Rubin RL. 2012.** Increased plant productivity in Alaskan tundra as a result of experimental warming of soil and permafrost. *Journal of Ecology* **100(2)**: 488-498.
- Natali SM, Schuur EAG, Trucco C, et al. 2011.** Effects of experimental warming of air, soil and permafrost on carbon balance in Alaskan tundra. *Global Change Biology* **17**:1394–1407.
- Newsham KK. 2011.** A meta-analysis of plant responses to dark septate root endophytes. *New Phytologist* **190(3)**: 783-793.
- Newsham KK., Upson R, Read DJ. 2009.** Mycorrhizas and dark septate root endophytes in polar regions. *Fungal Ecology* **2**:10–20.
- Nguyen NH, Zewei S, Bates ST, et al. 2015.** FUNGuild: An open annotation tool for parsing fungal community datasets by ecological guild. *Fungal Ecology*, **1**:8.

- Nilsson RH, Abarenkov K, Larsson KH, et al. 2011.** Molecular identification of fungi: rationale, philosophical concerns, and the UNITE database. *The Open Applied Informatics Journal* **5**: 81-86.
- O'Brien H, Parrent JL, Jackson JA, et al. 2005.** Fungal community analysis by large-scale sequencing of environmental samples. *Applied and Environmental Microbiology* **71**: 5544–5550.
- Oechel WC, Laskowski CA, Burba G, Gioli B, Kalhori AAM. 2014.** Annual patterns and budget of CO₂ flux in an Arctic tussock tundra ecosystem. *Journal of Geophysical Research: Biogeosciences* **119**: doi: 10.1002/2013JG002431.
- Oksanen J, Blanchett FG, Kindt R, et al. 2012.** Vegan: community Ecology Package. R Package 2.0.3.
- Olofsson J, Ericson L, Torp M, et al. 2011.** Carbon balance of Arctic tundra under increased snow cover mediated by a plant pathogen. *Nature Climate Change* **1**: 220–223.
- Olsson PA, Erikssen B, Dahlberg A. 2004.** Colonization by arbuscular mycorrhizal and fine endophytic fungi in herbaceous vegetation in the Canadian High Arctic. *Canadian Journal of Botany* **82**:1547-1556.
- Orwin KH, Kirschbaum MUF, St John MG, Dickie IA. 2011.** Organic nutrient uptake by mycorrhizal fungi enhances ecosystem carbon storage: A model-based assessment, *Ecology Letters* **14(5)**: 493–502.
- Papanikolaou N, Britton AJ, Helliwell RC, Johnson D. 2010.** Nitrogen deposition, vegetation burning and climate warming act independently on microbial community structure and enzyme activity associated with decomposing litter in low-alpine heath. *Global Change Biology* **16(11)**: 3120-3132.
- Parmesan C, Ryrholm N, Stefanescu C, et al. 1999.** Poleward shifts in geographical ranges of butterfly species associated with regional warming. *Nature*. **399**:5790583.
- Pattison RR, Welker JM. 2014.** Differential ecophysiological response of deciduous shrubs and a graminoid to long-term experimental snow reduction and addition in moist tundra, Northern Alaska. *Oecologia* **174(2)**: 339-50.
- Pearson RG, Phillips SJ, Loranty MM, et al. 2013.** Shifts in arctic vegetation and associated feedbacks under climate change. *Nature Climate Change* **3**: 673-677.
- Penton CR, StLouis D, Cole JR, et al. 2103.** Fungal Diversity in Permafrost and Tallgrass Prairie Soils under Experimental Warming Conditions. *Applied Environmental Microbiology* **79(22)**: 7063–7072.
- Peterson TC, et al. 2009.** State of the Climate in 2008. *Special Supplement to the Bulletin of the American Meteorological Society* **90(8)**: S17-S18.

- Post E, Bhatt US, Bitz CM, et al. 2013.** Ecological consequences of sea-ice decline. *Science* **341**: 519-524.
- Pounds AJ, Fogden MPL, Campbell JH. 1999.** Biological response to climate change on a tropical mountain. *Nature* **398**: 611.
- R Core team. 2013.** R: a language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-07-0, URL <http://www.R-project.org/>.
- Richter-Menge J, Jeffries MO, Overland JE, eds. 2011.** Arctic Report Card 2011, <http://www.arctic.noaa.gov/reportcard>.
- Robinson CH. 2001.** Cold adaptation in Arctic and Antarctic fungi . *New Phytologist* **151**(2):341–353.
- Rodriguez RJ, Henson J, Volkenburgh EV, et al. 2008.** Stress tolerance in plants via habitat-adapted symbiosis. *Multidisciplinary Journal of Microbiol Ecology* **B2**:404-416.
- Rogers MC, Sullivan PF, Welker JM. 2011.** Evidence of nonlinearity in the response of net ecosystem CO₂ exchange to increasing levels of winter snow depth in the High Arctic of Northwest Greenland. *Arctic, Antarctic and Alpine Research* **43**: 95-106.
- Rosenberg MS, Adams DC, Gurevitch J. 1999.** *MetaWin: Statistical Software for Meta-Analysis*. Version 2.0. Sinauer Associates, Sunderland, Massachusetts.
- Rosling A, Cox F, Cruz-Martinez K, et al. 2011.** Archaeorhizomycetes: unearthing an ancient class of ubiquitous soil fungi. *Science* **333**:876–879.
- Roy DB, Sparks TH. 2000.** Phenology of British butterflies and climate change. *Global Change Biology* **6**(4): 407-416.
- Salzer MW, Bunn AG, Graham NE, Hughes MK, et al. 2014.** Five millennia of palaeotemperature from tree-rings in the Great Basin, USA. *Climate Dynamics* **42**:1517-1526.
- Savile D. 1982.** Adaptations of fungi to arctic and subarctic conditions. In: Laursen GA, Ainmirati JF, eds. *Arctic and Alpine Mycology* **1**. Seattle: University of Washington Press, 357-370.
- Schaeffer SM, Sharp E, Schimel J, Welker JM. 2013.** Soil N processes in the High Arctic: Responses to a long-term multi-level warming and added summer water experiment. *Global Change Biology* **19**: 3529-2539.
- Schimel JP, Bennett J. 2004.** Nitrogen mineralization: Challenges of a changing paradigm. *Ecology* **85**: 591-602.

- Schimel JP, Bilbrough C, Welker JM. 2004.** Increased snow depth affects microbial activity and nitrogen mineralization in two arctic tundra communities. *Soil Biology and Biochemistry* **36**: 217-227.
- Schloss PD, Westcott SL, Ryabin T, et al. 2009.** Introducing mothur: open-source, platform-independent, community-supported software for describing and comparing microbial communities. *Applied Environmental Microbiology* **75(23)**: 7537-41.
- Schmit JP, Mueller GM. 2007.** An estimate of the lower limit of global fungal diversity. *Biodiversity and Conservation* **16**:99–111.
- Screen JA, Simmonds I. 2010.** The central role of diminishing sea ice in recent Arctic temperature amplification. *Nature*, **464(7293)**:1334-1337, DOI:10.1038/nature09051
- Screen JA, Simmonds I. 2012.** Declining summer snowfall in the Arctic: causes, impacts and feedbacks. *Climate Dynamics* **38**: 2243-2256.
- Semenova TA, Morgado LN, Welker JM, et al. 2015.** Long-term experimental warming alters community composition of ascomycetes in Alaskan moist and dry arctic tundra. *Molecular Ecology* **24(2)**: 424-437.
- Serreze M, Barrett AP, Stroeve J, Kindig DN, Holland MM. 2009.** The emergence of surface-based Arctic amplification. *Cryosphere* **3**:11–19.
- Serreze M, Barry RG. 2011.** Processes and impacts of Arctic amplification: A research synthesis. *Global and Planetary Change* **77**: 85-96.
- Sharkhuu A, Plante AF, Enkhmandal O, et al. 2013.** Effects of open-top passive warming chambers on soil respiration in the semi-arid steppe to taiga forest transition zone in Northern Mongolia. *Biochemical Journal* **115**:333-348.
- Shaver GR, Jonasson S. 1999.** Response of Arctic ecosystems to climate change: results of long-term field experiments in Sweden and Alaska. *Polar Research* **18(2)**: 245-252.
- Sistla SA, Moore JC, Simpson RT, et al. 2013.** Long-term warming restructures Arctic tundra without changing net soil carbon storage. *Nature* **497**: 615–618.
- Smith J. 2014.** Comprehensive Meta-Analysis (Version 2) [Computer software]. Englewood, NJ: Biostat. Available from <http://www.comprehensive.com>
- Southward AJ, Hawkins SJ, Burrows MT. 1995.** 70 years observations of changes in distribution and abundance of zooplankton and intertidal organisms in the western English Channel in relation to rising sea temperature. *Journal of Thermal Biology* **20**: 127-155.
- Stocker TF, Qin D, Plattner GK, et al. 2013.** Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the

Intergovernmental Panel on Climate Change. Cambridge, UK, Cambridge University Press, 1535 pp.

Sturm M, McFadden JP, Liston GE, et al. 2001. Shrub and snow interactions in arctic tundra: a hypothesis with climatic implications. *Journal of Climate* **14(3)**: 336 - 344.

Sturm M, Racine C, Tape K. 2001. Increasing shrub abundance in the Arctic. *Nature* **411**: 546-547.

Sturm M, Scimel J, Michaelson G, et al. 2005. Winter biological processes could help convert Arctic tundra to shrubland. *Bioscience* **55**: 17-26.

Sukyoung L. 2014. A theory for polar amplification from a general circulation perspective. *Asia-Pacific Journal of Atmospheric Sciences* **50**. doi:10.1007/s13143-014-0024-7.

Sullivan PF, Sommerkorn M, Rueth H, et al. 2007. Climate and species affect fine root production with long-term fertilization in acidic tussock tundra near Toolik Lake, Alaska. *Oecologia* **153**: 643-652.

Summerbell RC. 1989. Microfungi associated with the mycorrhizal mantle and adjacent microhabitats within the rhizosphere of black spruce. *Canadian Journal of Botany*, **67**: 1085–1095.

Summerbell RC. 2005. Root endophyte and mycorrhizosphere fungi of black spruce, *Picea mariana*, in a boreal forest habitat: influence of site factors on fungal distributions. *Studies in Mycology* **53**: 121–145.

Sweet SK, Gough L, Griffin KL, et al. 2014. Tall deciduous shrubs offset delayed start of growing season through rapid leaf development in the Alaskan arctic tundra. *Arctic, Antarctic and Alpine Research* **46**: 682-697.

Tape KD, Hallinger M, Welker JM, Ruess RW. 2012. Landscape Heterogeneity of Shrub Expansion in Arctic Alaska. *Ecosystems* **15**:711-724.

Tarnocai C, Canadell JG, Schuur EAG, et al. 2009. Soil organic carbon pools in the northern circumpolar permafrost region. *Global Biogeochemical Cycles* **23**:2.

Tedersoo L, Bahram M, Põlme S, et al. 2014. Global diversity and geography of soil fungi. *Science* **28(346)**: 6213.

Tedersoo L, May TW, Smith ME. 2010a. Ectomycorrhizal lifestyle in fungi: global diversity, distribution, and evolution of phylogenetic lineages. *Mycorrhiza* **20**: 217–63.

Tedersoo L, Nilsson RH, Abarenkov K, et al. 2010b. 454 pyrosequencing and Sanger sequencing of tropical mycorrhizal fungi provide similar results but reveal substantial methodological biases. *New Phytologist* **188**: 291–301.

- Timling I, Dahlberg A, Walker DA, et al. 2012.** Distribution and drivers of ectomycorrhizal fungal communities across the North American Arctic. *Ecosphere* **3**:1-25.
- Timling I, Walker DA, Nusbaum C, Lennon NJ, Taylor DL. 2014.** Rich and cold: Diversity, distribution and drivers of fungal communities in patterned-ground ecosystem of the North American Arctic. *Molecular Ecology* **23(13)**:3258-72.
- Toju H, Yamamoto S, Sato H, et al. 2013.** Sharing of Diverse Mycorrhizal and Root-Endophytic Fungi among Plant Species in an Oak-Dominated Cool-Temperate Forest *PLoS One* **8(10)**: e78248
- Treseder KK, Lennon JT. 2015.** Fungal Traits That Drive Ecosystem Dynamics on Land. *Microbiol. Mol. Biol. Rev.* **79(2)**:243-262.
- van der Wal A, Geydan TD, Kuyper TW, et al. 2013.** A thready affair: linking fungal diversity and community dynamics to terrestrial decomposition processes. *FEMS Microbiology Reviews* **37(4)**: 477-494.
- Vannette RL, Hunter MD. 2013.** Mycorrhizal abundance affects the expression of plant resistance traits and herbivore performance. *Journal of Ecology* **101**: 1019–1029.
- Väre H, Vestberg M, Euroala S. 1992.** Mycorrhiza and root associated fungi in Spitsbergen. *Mycorrhiza* **1**: 93–104.
- Vohnik M; Fendrych M; Albrechtova J; Vosatka M. 2007.** Intracellular colonization of Rhododendron and Vaccinium roots by *Cenococcum geophilum*, *Pseudogymnoascus pannorum* and *Meliniomyces variabilis*. *Folia Microbiologica* **52(4)**:407-414.
- Wahren CHA, Walker MD, Bret-Harte MS. 2005.** Vegetation responses in Alaskan arctic tundra after 8 years of a summer warming and winter snow manipulation experiment. *Global Change Biology* **11**: 537-552.
- Walker DA, Maier HA. 2008.** Vegetation in the Vicinity of the Toolik Field Station, Alaska. *Biological Papers of the University of Alaska* **28**. Institute of Arctic Biology, Fairbanks, AK.
- Walker DA, Raynolds MK, Daniëls FJA , et al. 2005.** The Circumpolar Arctic vegetation map *Journal of Vegetation Science* **16**: 267–282.
- Walker MD, Wahren HC, Hollister RD, et al. 2006.** Plant community responses to experimental warming across the tundra biome. *PNAS* **103(5)**: 1342-1346.
- Walker MD, Walker DA, Welker JM, et al. 1999.** Long-term experimental manipulation of winter snow regime and summer temperature in arctic and alpine tundra. *Hydrological Processes* **13**: 2315-2330.

- Walther GR, Post E, Convey P, et al. 2002.** Ecological responses to recent climate change. *Nature* **416**: 389-395.
- Wardle P, Coleman MC. 1992.** Evidence for rising upper limits of four native New Zealand forest trees. *New Zealand Journal of Botany* **30**: 303-314.
- Welker JM, Brown KB, Fanhestock JT. 1999.** CO₂ flux in arctic and alpine dry tundra: comparative field responses under ambient and experimentally warmed conditions. *Arctic, Antarctic and Alpine Research* **31**: 308-313.
- Welker JM, Fahnestock JT, Henry GHR, O'Dea KW, Chimner RA. 2004.** CO₂ exchange in three Canadian High Arctic ecosystems: response to long-term experimental warming. *Global Change Biology* **10**: 1981-1995.
- Welker JM, Fahnestock JT, Jones MH. 2000.** Annual CO₂ flux in dry and moist arctic tundra: field responses to increases in summer temperatures and winter snow depth. *Climatic Change* **44**: 139-150.
- Welker JM, Fahnestock JT, Sullivan PF, Chimner RA. 2005.** Leaf mineral nutrition of arctic plants in response to long-term warming and deeper snow in N. Alaska. *Oikos* **109**: 167-177.
- Welker JM, Molau U, Parsons AN, et al. 1997.** Response of *Dryas octopetala* to ITEX manipulations: a synthesis with circumpolar comparisons. *Global Change Biology* **3**: 61-73.
- White JF, Bacon CW, Hywel-Jones NL, Spatafora JW. (Eds). 2003.** Clavicipitalean Fungi: Evolutionary Biology, Chemistry, Biocontrol and Cultural Impacts. Marcel Dekker, New York.
- White TJ, Bruns T, Lee S, et al. 1990.** Amplification and direct sequencing of fungal ribosomal RNA for phylogenetics. In: PCR Protocols: A guide to methods and Applications (eds Innis, M.A., Gelfand, D.H., Sninsky, J.J., White, T.J.) , pp 315-321. Academic Press, San Diego.
- Wilby RL, Wigley TML. 2002.** Future changes in the distribution of daily precipitation totals across North America. *Geophysical Research Letters* **29(7)**: 391 – 394.
- Wipf S, Rixen C. 2010.** A review of snow manipulation experiments in Arctic and alpine tundra ecosystems. *Polar research* **29**: 95-109.
- Wookey PA. 2007.** Climate change and biodiversity in the Arctic – Nordic Perspectives. *Polar Research* **26**:96-103.
- Zhang T, Yao YF. 2015.** Endophytic fungal communities associated with vascular plants in the high Arctic zone are highly diverse and host-plant specific. *PLoS ONE* **10(6)**:e0130051. doi:10.1371/journal.pone.0130051

Zhang W, Miller PA, Smith B, et al. 2013. Tundra shrubification and tree-line advance amplify arctic climate warming: results from an individual-based dynamic vegetation model. *Environmental Research Letters* **8**:034023.

Zhang Y, Bai S. 2003. Effects of nitrogen forms on nutrient uptake and growth of trees. *The journal of applied ecology*, **14(11)**:2044-2048.

Zona D, Oechel WC, Kochendorfer JUKTP, et al. 2009. Methane fluxes during the initiation of a large-scale water table manipulation experiment in the Alaskan Arctic tundra. *Global Biogeochemistry* **23(2)**.