

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:  
<http://hdl.handle.net/1887/59506>

**Author:** Eerkens, H.J.

**Title:** Investigations of radiation pressure : optical side-band cooling of a trampoline resonator and the effect of superconductivity on the Casimir force

**Issue Date:** 2017-12-21

# Investigations of Radiation Pressure

Optical side-band cooling of a trampoline resonator  
and the effect of superconductivity on the Casimir force

Proefschrift

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolker,  
volgens besluit van het College voor Promoties  
te verdedigen op donderdag 21 december 2017  
klokke 13.45 uur

door

Hedwig Julia Eerkens

geboren te Diemen  
in 1987

**Promotor:**

Prof. dr. D. Bouwmeester (Universiteit Leiden en  
UC Santa Barbara, Santa Barbara, VS)

**Promotiecommissie:**

Dr. E. van Heumen (Universiteit van Amsterdam)  
Prof. dr. D. Iannuzzi (Vrije Universiteit)  
Dr. F. Intravaia (Humboldt Universität zu Berlin,  
Berlijn, Duitsland)

Prof. dr. E. R. Eliel  
Prof. dr. M. P. van Exter  
Prof. dr. ir. T. H. Oosterkamp

The research reported in this thesis was conducted at the Leiden Institute of Physics (LION), Leiden University. This research is supported by the NWO VICI research program, which is part of the Netherlands Organization for Scientific Research (NWO).

An electronic version of this dissertation is available at the Leiden University Repository (<https://openaccess.leidenuniv.nl>).

Typesetting and cover design by H.J. Eerkens.

to reason  
to love



# Contents

<b>1</b>	<b>Introduction</b>	<b>7</b>
1.1	Cavity optomechanics . . . . .	8
1.2	Casimir effect . . . . .	10
<b>I</b>	<b>Cavity optomechanics</b>	<b>13</b>
<b>2</b>	<b>Optical Side-band Cooling of a Low Frequency Optomechanical System</b>	<b>15</b>
2.1	Introduction . . . . .	16
2.2	Experiment . . . . .	17
2.3	Results and discussion . . . . .	19
2.4	Conclusion . . . . .	22
<b>3</b>	<b>Parametric Amplification of the Motion of an Optomechanical Resonator</b>	<b>23</b>
3.1	Parametric oscillations . . . . .	24
3.2	Description of the set-up . . . . .	25
3.3	Comparison to simulations . . . . .	26
3.4	No transition to chaotic motion . . . . .	30
<b>4</b>	<b>Exploring Nested Resonators for Optomechanical Cooling</b>	<b>31</b>
4.1	Optomechanical cooling . . . . .	32
4.2	Influence of the outer resonator motion . . . . .	34
4.3	Damping of outer resonator motion . . . . .	36
4.3.1	Capacitive control of the resonator motion . . . . .	37
4.3.2	Dielectric force control of the resonator motion . . . . .	41
4.4	Conclusions and outlook . . . . .	44

<b>II</b>	<b>Casimir effect</b>	<b>45</b>
<b>5</b>	<b>Thermal Casimir Force and Superconductors</b>	<b>47</b>
5.1	Casimir force between perfect conductors . . . . .	48
5.2	Lifshitz theory for the force between real conductors . . . . .	49
5.3	Models for the dielectric permittivity . . . . .	52
5.4	The effect of the different models on the Casimir force . . . . .	56
5.5	Casimir force between superconductors . . . . .	58
5.6	Casimir force with experimental parameters . . . . .	63
5.7	Conclusions and outlook . . . . .	65
<b>6</b>	<b>Details of the Experimental Techniques</b>	<b>67</b>
6.1	Fiber interferometry . . . . .	68
6.1.1	GRIN lenses to focus light . . . . .	73
6.2	Sample characterization . . . . .	74
6.3	Plate resistance . . . . .	77
<b>7</b>	<b>Simultaneous Calibration Scheme for Casimir Force Measurements</b>	<b>79</b>
7.1	Detection of the plate motion . . . . .	80
7.2	Calibration with the electrostatic force . . . . .	82
7.2.1	Validity of the proximity force approximation . . . . .	87
7.3	Casimir force measurements . . . . .	89
<b>8</b>	<b>Dependence of the Casimir Force on the Dielectric Permittivity of NbTiN</b>	<b>91</b>
8.1	Casimir force computed from the measured optical spectrum of NbTiN	92
8.1.1	Comparison to room temperature measurements . . . . .	93
8.2	Low temperature measurements . . . . .	96
8.2.1	The effect of superconductivity . . . . .	98
8.3	Conclusion . . . . .	102
<b>9</b>	<b>Increased Read-Out Sensitivity with an Optomechanical Cavity</b>	<b>103</b>
9.1	Considerations for Further Improvements . . . . .	104
9.2	A New Measurement Set-up . . . . .	106
<b>A</b>	<b>Casimir force in terms of reflection coefficients</b>	<b>109</b>
	<b>Bibliography</b>	<b>111</b>
	<b>Samenvatting</b>	<b>123</b>
	<b>Curriculum Vitae</b>	<b>127</b>
	<b>List of Publications</b>	<b>129</b>
	<b>Acknowledgements</b>	<b>131</b>
	<b>Index</b>	<b>133</b>