

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/67526> holds various files of this Leiden University dissertation.

Author: Kpogbezan, G.B.

Title: Prior information and variational Bayes in high dimensional statistical network inference

Issue Date: 2018-12-10

Bibliography

- [1] Abegaz, F. and Wit, E. (2013). Sparse time series chain graphical models for reconstructing genetic networks. *Biostatistics*, 14(3):586–599.
- [2] Allen, G. and Liu, Z. (2013a). A local poisson graphical model for inferring networks from sequencing data. *NanoBioscience, IEEE Transactions on*, 12(3):189–198.
- [3] Allen, G. I. and Liu, Z. (2013b). A local poisson graphical model for inferring networks from sequencing data. *NanoBioscience, IEEE Transactions on*, 12:189–198.
- [4] Andersson, S., Madigan, D., and Perlman, M. (2001). Alternative markov properties for chain graphs. *Scandinavian Journal of Statistics*, 28(1):33 – 85.
- [5] Archambeau, C. and Bach, F. (2008). Sparse probabilistic projections. In *Advances in Neural Information Processing Systems 21*, pages 73–80. Curran Associates, Inc.
- [6] Armagan, A. (2009). Variational bridge regression. *Journal of Machine Learning Research, Workshop and Conference Proceedings*, 5:17–24.
- [7] Attias, H. (1999). Inferring parameters and structure of latent variable models by variational bayes. In *Proceedings of the Fifteenth Conference on Uncertainty in Artificial Intelligence*, UAI'99, pages 21–30. Morgan Kaufmann Publishers Inc.
- [8] Berenson, L. and et al. (2006). Selective requirement of p38alpha mapk in cytokine-dependent, but not antigen receptor-dependent, th1 responses. *J. Immunol.*, 176:4616–4621.
- [9] Bhattacharya, A., Chakraborty, A., and Mallick, B. (2016). Fast sampling with gaussian scale-mixture priors in high-dimensional regression. *Biometrika*, 103(4):985–991.
- [10] Bilgrau, A. and et al. (2015). Targeted fused ridge estimation of inverse covariance matrices from multiple high-dimensional data classes. *arXiv preprint arXiv:1509.07982*.
- [11] Blei, D. and Jordan, M. (2011). Variational inference for dirichlet process mixtures. *Bayesian Analysis*, 1:121 – 143.
- [12] Blei, D., Kucukelbir, A., and McAuliffe, J. (2017). Variational inference: A review for statisticians. *Journal of the American Statistical Association*, 112(518):859–877.

-
- [13] Blei, D. M. and Jordan, M. I. (2006). Variational inference for dirichlet process mixtures. *Bayesian Analysis*, 1(1):121–144.
- [14] Bondell, H. D. and Reich, B. J. (2012). Consistent high-dimensional Bayesian variable selection via penalized credible regions. *J. Amer. Statist. Assoc.*, 107(500):1610–1624.
- [15] Braun, M. and McAuliffe, J. (2010). Variational inference for large-scale models of discrete choice. *Journal of the American Statistical Association*, 105(489):324–335.
- [16] Cai, X., Huang, A., and Xu, S. (2011). Fast empirical bayesian lasso for multiple quantitative trait locus mapping. *BMC Bioinformatics*, 12(1):211.
- [17] Camby, I., Le Mercier, M., Lefranc, F., and Kiss, R. (2006). Galectin-1: a small protein with major functions. *Glycobiology*, 16(11):137R–157R.
- [18] Carbonetto, P. and Stephens, M. (2012). Scalable variational inference for bayesian variable selection in regression, and its accuracy in genetic association studies. *Bayesian Analysis*, 7(1):73–108.
- [19] Carvalho, C., Polson, N., and Scott, J. (2009). Handling sparsity via the horseshoe. *Journal of Machine Learning Research, W&CP*, 5:73–80.
- [20] Carvalho, C., Polson, N., and Scott, J. (2010). The horseshoe estimator for sparse signals. *Biometrika*, 97:465–480.
- [21] Cerami, E., Gao, J., Dogrusoz, U., Gross, B. E., Sumer, S. O., Aksoy, B. A., Jacobsen, A., Byrne, C. J., Heuer, M. L., Larsson, E., Antipin, Y., Reva, B., Goldberg, A. P., Sander, C., and Schultz, N. (2012). The cbio cancer genomics portal: An open platform for exploring multidimensional cancer genomics data. *Cancer Discovery*, 2(5):401–404.
- [22] Cerami, E. G., Gross, B. E., Demir, E., Rodchenkov, I., Babur, O., Anwar, N., Schultz, N., Bader, G. D., and Sander, C. (2011). Pathway commons, a web resource for biological pathway data. *Nucleic Acids Research*, 39(suppl 1):D685–D690.
- [23] Chen, J. and Chen, Z. (2008a). Extended bayesian information criteria for model selection with large model spaces. *Biometrika*, 95(3):759–771.
- [24] Chen, J. and Chen, Z. (2008b). Extended bayesian information criterion for model selection with large model space. *Biometrika*, 95:759–771.
- [25] Chen, S., Witten, D. M., and Shojaie, A. (2015). Selection and estimation for mixed graphical models. *Biometrika*.
- [26] Cheung, V., Spielman, R., Ewens, K., Weber, T., Morley, M., and Burdick, J. (2005). Mapping determinants of human gene expression by regional and genome-wide association. *Nature*, 437:1365 – 1369.

- [27] Cordes, C., Bartling, B., Simm, A., Afar, D., Lautenschläger, C., Hansen, G., Silber, R.-E., Burdach, S., and Hofmann, H.-S. (2009). Simultaneous expression of cathepsins b and k in pulmonary adenocarcinomas and squamous cell carcinomas predicts poor recurrence-free and overall survival. *Lung Cancer*, 64(1):79 – 85.
- [28] Dahlhaus, R. (2000). Graphical interaction models for multivariate time series. *Metrika*, 51(2):157–172.
- [29] Dahlhaus, R. and Eichler, M. (2003). *Causality and graphical models in time series analysis*. Oxford Statistical Science Series.
- [30] Danaher, P., Wang, P., and Witten, D. (1999). The joint graphical lasso for inverse covariance estimation across multiple classes. *J R Stat Soc Series B Stat Methodol.*, 76(2):373–397.
- [31] Datta, J. and Ghosh, J. (2013). Asymptotic properties of bayes risk for the horseshoe prior. *Bayesian Analysis*, 8(1):111–132.
- [32] de Angelis, L. and et al. (2005). Regulation of vertebrate myotome development by the p38 map kinase-mef2 signaling pathway. *Dev. Biol.*, 283:171–179.
- [33] Dobra, A., Hans, C., Jones, B., Nevins, J. R., Yao, G., and West, M. (2004). Sparse graphical models for exploring gene expression data. *Journal of Multivariate Analysis*, 90:196 – 212.
- [34] Dobra, A., Lenkoski, A., and Rodriguez, A. (2011). Bayesian inference for general Gaussian graphical models with application to multivariate lattice data. *J. Amer. Statist. Assoc.*, 106(496):1418–1433.
- [35] Dodd, L. E. and Pepe, M. S. (2003). Partial AUC estimation and regression. *Biometrics*, 59(3):614–623.
- [36] Efron, B. (2004). Large-scale simultaneous hypothesis testing. *Journal of the American Statistical Association*, 99:96–104.
- [37] Efron, B. (2010). *Large-scale inference: empirical Bayes methods for estimation, testing, and prediction*. Institute of Mathematical Statistics Monographs 1. Cambridge: Cambridge University Press. xii, 263 p., Cambridge.
- [38] Espinosa, A. and et al. (2013). Mitosis is a source of potential markers for screening and survival and therapeutic targets in cervical cancer. *PLOS ONE*, 8(2):1–21.
- [39] Feng, Y. and et al. (2018). Novel genetic variants in the p38mapk pathway gene zak and susceptibility to lung cancer. *Mol. Carcinog.*, 57(2):216–224.
- [40] Fortin, S., Le Mercier, M., Camby, I., Spiegl-Kreinecker, S., Berger, W., Lefranc, F., and Kiss, R. (2010). Galectin-1 is implicated in the protein kinase c epsilon/vimentin-controlled trafficking of integrin-beta1 in glioblastoma cells. *Brain Pathology*, 20(1):39–49.

- [41] Foygel, R. and Drton, M. (2010a). Extended Bayesian information criteria for Gaussian graphical models. In Lafferty, J., Williams, C. K. I., Shawe-Taylor, J., Zemel, R., and Culotta, A., editors, *Advances in Neural Information Processing Systems 23*, pages 604–612.
- [42] Foygel, R. and Drton, M. (2010b). Extended bayesian information criteria for gaussian graphical models. In *Proceedings of the 23rd International Conference on Neural Information Processing Systems - Volume 1*, NIPS'10, pages 604–612, USA. Curran Associates Inc.
- [43] Friedman, J., Hastie, T., and Tibshirani, R. (2008). Sparse inverse covariance estimation with the graphical lasso. *Biostatistics*, 9:432–441.
- [44] Friedman, J., Hastie, T., and Tibshirani, R. (2010). Regularization paths for generalized linear models via coordinate descent. *Journal of statistical software*, 33(1):1–22.
- [45] Galassi, M. (2009). *GNU Scientific Library : reference manual for GSL version 1.12*. Network Theory, Bristol, UK, 3rd edition.
- [46] Gao, X., Pu, D., Wu, Y., and Xu, H. (2012). Tuning parameter selection for penalized likelihood estimation of gaussian graphical model. *Statistica Sinica*, 22:1123 – 1146.
- [47] Geiger, D. and Heckerman, D. (2002). Parameter priors for directed acyclic graphical models and the characterization of several probability distributions. *Ann. Statist.*, 30(5):1412–1440.
- [48] Giordano, R., Broderick, T., and Jordan, M. (2017). Covariances, robustness, and variational bayes. *arXiv preprint arXiv:1709.02536*.
- [49] Giraud, C. (2008). Estimation of Gaussian graphs by model selection. *Electron. J. Stat.*, 2:542–563.
- [50] Giudici, P. and Green, P. J. (1999). Decomposable graphical gaussian model determination. *Biometrika*, 86:785 – 801.
- [51] Gole, B., Huszthy, P. C., Popović, M., Jeruc, J., Ardebili, Y. S., Bjerkvig, R., and Lah, T. T. (2012). The regulation of cysteine cathepsins and cystatins in human gliomas. *International Journal of Cancer*, 131(8):1779–1789.
- [52] Gradshteyn, I. and Ryzhik, I. (1994). *Tables of Integrals, Series, and Products*. Academic Press, San Diego, California, 5th edition.
- [53] Hahn, P. R. and Carvalho, C. M. (2015). Decoupling shrinkage and selection in bayesian linear models: A posterior summary perspective. *Journal of the American Statistical Association*, 110(509):435–448.
- [54] Hamid, J., Hu, P., Roslin, N., Ling, V., Greenwood, C., and Beyene, J. (2009:869093). Data integration in genetics and genomics: Methods and challenges. *Human Genomics and Proteomics: HGP*.
- [55] Hanahan, D. and Weinberg, R. A. (2000). The hallmarks of cancer. *Cell*, 100:57–70.

- [56] Hankin, R. (2007). Special functions in r: introducing the **gsl** package. *R News*, 6.
- [57] Hastie, T., Tibshirani, R., and Wainwright, M. (2015). *Statistical Learning with Sparsity: The Lasso and Generalizations*. Chapman & Hall/CRC.
- [58] Hawkins, R., Hon, G., and Ren, B. (2010). Next-generation genomics: an integrative approach. *Nat. Rev. Genet.*, 11(7):476–86.
- [59] Heit, B., Tavener, S., Raharjo, E., and Kubes, P. (2002). An intracellular signaling hierarchy determines direction of migration in opposing chemotactic gradients. *J. Cell Biol.*, 159:91–102.
- [60] Heuertz, R., Tricomi, S., Ezekiel, U., and Webster, R. (1999). C-reactive protein inhibits chemotactic peptide-induced p38 mitogen-activated protein kinase activity and human neutrophil movement. *J. Biol. Chem.*, 274:17968–17974.
- [61] Hurley, D. and et al. (2012). Gene network inference and visualization tools for biologists: application to new human transcriptome datasets. *Nucleic Acids Research*, 40(6):2377–2398.
- [62] Hwang, D., Jang, B., Yu, G., and Boudreau, M. (1997). Expression of mitogen- inducible cyclooxygenase induced by lipopolysaccharide: mediation through both mitogen-activated protein kinase and nf-kappab signaling pathways in macrophages. *Biochem. Pharmacol.*, 54:87–96.
- [63] Igney, F. and Krammer, P. (2002). Death and anti-death: tumour resistance to apoptosis. *Nat Rev Cancer.*, 2:277–88.
- [64] Imoto, S., Higuchi, T., Goto, T., Tashiro, K., Kuhara, S., and Miyano, S. (2003). Combining microarrays and biological knowledge for estimating gene networks via bayesian networks. In *Computational Systems Bioinformatics. CSB2003. Proceedings of the 2003 IEEE Bioinformatics Conference. CSB2003*, pages 104–113.
- [65] Isci, S., Dogan, H., Ozturk, C., and Otu, H. (2013). Bayesian network prior: Network analysis of biological data using external knowledge. *Bioinformatics*, pages 860–867.
- [66] Ishwaran, H. and Rao, J. S. (2005). Spike and slab variable selection: Frequentist and bayesian strategies. *Ann. Statist.*, 33(2):730–773.
- [67] Jacobsen, A. (2013). *cgdsr: R-Based API for accessing the MSKCC Cancer Genomics Data Server (CGDS)*. R package version 1.1.30.
- [68] Jones, B., Carvalho, C., Dobra, A., Hans, C., Carter, C., and West, M. (2005). Experiments in stochastic computation for high dimensional graphical models. *Statist. Sci.*, 20:388 – 400.
- [69] Kallunki, T., Olsen, O., and Jäättelä, M. (2013). Cancer-associated lysosomal changes: friends or foes? *Oncogene*, 32(16):1995–2004.
- [70] Kass, R. E. and Wasserman, L. (1995). A reference bayesian test for nested hypotheses and its relationship to the schwarz criterion. *Journal of the American Statistical Association*, 90:928–934.

- [71] Kim, S. and Xing, E. (2012). Tree-guided group lasso for multi-response regression with structured sparsity, with an application to eqtl mapping. *Ann. Appl. Stat.*, 6(3):1095 – 1117.
- [72] Kpogbezan, G., van der Vaart, A., van Wieringen, W., Leday, G., and van de Wiel, M. (2017). An empirical bayes approach to network recovery using external knowledge. *Biom. Journal*, 59(5):932–947.
- [73] Krämer, N. and et al. (2009). Regularized estimation of large-scale gene association networks using graphical gaussian models. *BMC Bioinformatics*, 10:384.
- [74] Krämer, N., Schafer, J., and Boulesteix, A.-L. (2009). Regularized estimation of large-scale gene association networks using graphical gaussian models. *BMC Bioinformatics*, 10(1):384.
- [75] Krammer, P. H., Galle, P. R., Moller, P., and Debatin, K. M. (1998). Cd95(apo-1/fas)-mediated apoptosis in normal and malignant liver, colon, and hematopoietic cells. *Adv. Cancer Res.*, 75:251–273.
- [76] Landi, M. T., Dracheva, T., Rotunno, M., Figueroa, J., H. Liu, A. D., Mann, F., Fukuoka, J., Hames, M., Bergen, A., Murphy, S., Yang, P., Pesatori, A., Consonni, D., Bertazzi, P., Wacholder, S., Shih, J., Caporaso, N., and Jen, J. J. (2008). Gene expression signature of cigarette smoking and its role in lung adenocarcinoma development and survival. *PLoS ONE*, 3:e1651. <https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE10072>.
- [77] Lappalainen, T. and et al. (2013). Transcriptome and genome sequencing uncovers functional variation in humans. *Nature*, 501(7468):506–511.
- [78] Lauritzen, S. (1996). *Graphical models*. The Clarendon Press, Oxford University Press, New York.
- [79] Lauritzen, S., Dawid, A., Larsen, B., and Leimer, H.-G. (1990). Independence properties of directed markov fields. *Networks*, 20:491 – 505.
- [80] Leday, G., de Gunst, M., Kpogbezan, G., van der Vaart, A., van Wieringen, W., and van de Wiel, M. (2017). Gene network reconstruction using global-local shrinkage priors. *Ann. Appl. Stat.*, 11(1):41 – 68.
- [81] Ledoit, O. and Wolf, M. (2004). A well-conditioned estimator for large-dimensional covariance matrices. *J. Multivariate Anal.*, 88(2):365–411.
- [82] Lee, J. and et al. (1994). A protein kinase involved in the regulation of inflammatory cytokine biosynthesis. *Nature*, 372:739–746.
- [83] Lee, S., Pe’er, D., Dudley, A., Church, G., and Koller, D. (2006). Identifying regulatory mechanisms using individual variation reveals key role for chromatin modification. *Proc. Natl. Acad. Sci. USA*, 103:14062 – 14067.
- [84] Lehne, B., Lewis, C., and Schlitt, T. (2011). From snps to genes: Disease association at the gene level. *PLoS ONE*, 6(6):e20133.

- [85] Lewis, C., Brault, C., Peck, B., Bensaad, K., Griffiths, B., Mitter, R., Chakravarty, P., East, P., Dankworth, B., Alibhai, D., et al. (2015). Srebp maintains lipid biosynthesis and viability of cancer cells under lipid-and oxygen-deprived conditions and defines a gene signature associated with poor survival in glioblastoma multiforme. *Oncogene*.
- [86] Li, G., Shabalin, A., Rusyn, I., Wright, F., and Nobel, A. (2018). An empirical bayes approach for multiple tissue eqtl analysis. *Biostatistics*, 19(3):391–406.
- [87] Li, S., Wu, L., and Zhang, Z. (2006). Constructing biological networks through combined literature mining and microarray analysis: a LMMA approach. *Bioinformatics*, 22:2143 – 2150.
- [88] Li, Y., Jiang, B., Ensign, W., Vogt, P., and Han, J. (2000). Myogenic differentiation requires signalling through both phosphatidylinositol 3-kinase and p38 map kinase. *Cell. Signal.*, 12:751–757.
- [89] Lian, H. (2011). Shrinkage tuning parameter selection in precision matrices estimation. *J. Statist. Plann. Inference*, 141(8):2839–2848.
- [90] Liang, F., Paulo, R., Molina, G., Clyde, M. A., and Berger, J. O. (2008). Mixtures of g-priors for bayesian variable selection. *Journal of the American Statistical Association*, 103(481):410–423.
- [91] Lim, K., Lim, K., Price, A., Orr, B., Eberhart, C., and Bar, E. (2013). Inhibition of monocarboxylate transporter-4 depletes stem-like glioblastoma cells and inhibits hif transcriptional response in a lactate-independent manner. *Oncogene*.
- [92] Luetkepohl, H. (2005). *The New Introduction to Multiple Time Series Analysis*. Springer, Berlin.
- [93] Luo, S., Song, R., and Witten, D. (2014). Sure Screening for Gaussian Graphical Models. *arXiv:1407.7819*.
- [94] MacKay, D. (2003). *Information Theory, Inference, and Learning Algorithms*. Cambridge University Press, New York, NY, USA.
- [95] Madhankumar, A., Slagle-Webb, B., Mintz, A., Sheehan, J. M., and Connor, J. R. (2006). Interleukin-13 receptor-targeted nanovesicles are a potential therapy for glioblastoma multiforme. *Molecular Cancer Therapeutics*, 5(12):3162–3169.
- [96] McGrory, C. and Titterington, D. (2007). Variational approximations in bayesian model selection for finite mixture distributions. *Computational Statistics and Data Analysis*, 51:5352 – 5367.
- [97] Meinshausen, N. and Bühlmann, P. (2006). High-dimensional graphs and variable selection with the lasso. *The Annals of Statistics*, 34:1436–1462.
- [98] Meinshausen, N. and Bühlmann, P. (2010). Stability selection. *J. R. Stat. Soc. Ser. B Stat. Methodol.*, 72(4):417–473.
- [99] Miok, V., Wilting, S., and van Wieringen, W. (2017). Ridge estimation of the var(1) model and its time series chain graph from multivariate time-course omics data. *Biometrical Journal*, 59(1):172–191.

- [100] Mohammadi, A. and Wit, E. C. (2015a). Bayesian structure learning in sparse gaussian graphical models. *Bayesian Anal.*, 10(1):109–138.
- [101] Mohammadi, A. and Wit, E. C. (2015b). Bayesian structure learning in sparse gaussian graphical models. *Bayesian Anal.*, 10:109 – 138.
- [102] Mukherjee, S. and Speed, T. (2008). Network inference using informative priors. *Proceedings of the National Academy of Sciences*, 105:14313–14318.
- [103] Oates, C. J. and Mukherjee, S. (2012). Network inference and biological dynamics. *Ann. Appl. Stat.*, 6(3):1209–1235.
- [104] Ormerod, J. and Wand, M. (2010a). Explaining variational approximations. *The American Statistician*, 64(2):140–153.
- [105] Ormerod, J. and Wand, M. (2010b). Explaining variational approximations. *The American Statistician*, 64:140–153.
- [106] Ormerod, J. T. and Wand, M. P. (2010c). Explaining variational approximations. *Amer. Statist.*, 64(2):140–153.
- [107] Park, T. and Casella, G. (2008). The Bayesian lasso. *J. Amer. Statist. Assoc.*, 103(482):681–686.
- [108] Pearl, J. and Paz, A. (1986). Graphoids: A graph-based logic for reasoning about relevancy relations. In *Proceedings of the European Conference on Artificial Intelligence*.
- [109] Peeters, C. and van Wieringen, W. (2014). *rags2ridges: Ridge Estimation of Precision Matrices from High-Dimensional Data*. R package version 1.4.
- [110] Peng, J., Zhou, N., and Zhu, J. (2009). Partial correlation estimation by joint sparse regression models. *J. Amer. Statist. Assoc.*, 104(486):735–746.
- [111] Polson, N., Scott, J., and J., W. (2014). The bayesian bridge. *Journal of the Royal Statistical Society: Series B*, 76:713 – 733.
- [112] Porstmann, T., Santos, C. R., Griffiths, B., Cully, M., Wu, M., Leever, S., Griffiths, J. R., Chung, Y.-L., and Schulze, A. (2008). Srebp activity is regulated by mtorc1 and contributes to akt-dependent cell growth. *Cell metabolism*, 8(3):224–236.
- [113] Pujana, M., Han, J., Starita, L., Stevens, K., Tewari, M., Ahn, J., Rennert, G., Moreno, V., Kirchhoff, T., and Gold, B. e. a. (2007). Network modeling links breast cancer susceptibility and centrosome dysfunction. *Nature Genetics*, 39:1338 – 1349.
- [114] Rajagopalan, M. and Broemeling, L. (1983). Bayesian inference for the variance components in general mixed linear models. *Comm. Statist. A—Theory Methods*, 12(6):701–723.
- [115] Ravikumar, P., Wainwright, M. J., and Lafferty, J. D. (2010). High-dimensional ising model selection using l1-regularized logistic regression. *Ann. Statist.*, 38:1287–1319.

- [116] Reif, D., White, B., and Moore, J. (2004). Integrated analysis of genetic, genomic and proteomic data. *Expert Rev. Proteomics*, 1:67–75.
- [117] Rudin, W. (1991). *Functional analysis*. International Series in Pure and Applied Mathematics. McGraw-Hill Inc., New York, second edition.
- [118] Rue, H., Martino, S., and Chopin, N. (2009). Approximate Bayesian inference for latent Gaussian models by using integrated nested Laplace approximations. *J. R. Stat. Soc. Ser. B Stat. Methodol.*, 71(2):319–392.
- [119] Schaefer, J., Opgen-Rhein, R., and Strimmer, K. (2006). Reverse engineering genetic networks using the GeneNet package. *R News*, 6/5:50–53.
- [120] Schäfer, J., Opgen-Rhein, R., and Strimmer, K. (2006). Reverse engineering genetic networks using the GeneNet package. *R News*, 6:50–53.
- [121] Schäfer, J. and Strimmer, K. (2005a). An empirical Bayes approach to inferring large-scale gene association networks. *Bioinformatics*, 21(6):754–764.
- [122] Schäfer, J. and Strimmer, K. (2005b). A shrinkage approach to large-scale covariance matrix estimation and implications for functional genomics. *Stat. Appl. Genet. Mol. Biol.*, 4:Art. 32, 28 pp. (electronic).
- [123] Schröder, N. and Schumann, R. (2005). Single nucleotide polymorphisms of toll-like receptors and susceptibility to infectious disease. *Lancet Infect Dis.*, 5:156 – 64.
- [124] Scutari, M. (2013). On the prior and posterior distributions used in graphical modelling. *Bayesian Analysis*, 8(1):1–28.
- [125] Segal, E., Shapira, M., Regev, A., Pe’er, D., Botstein, D., Koller, D., and Friedman, N. (2003). Module networks: Identifying regulatory modules and their condition-specific regulators from gene expression data. *Nature Genetics*, 34:166 – 178.
- [126] Srividhya, J., Crampin, E., McSharry, P., and Schnell, S. (2007). Reconstructing biochemical pathways from time course data. *Proteomics*, 7(6):828–38.
- [127] Steele, E., Tucker, A., ’t Hoen, P., and Schuemie, M. (2009). Literature-based priors for gene regulatory networks. *Bioinformatics*, 25(14):1768–1774.
- [128] Stranger, B., Forrest, M., Clark, A., Minichiello, M., Deutsch, S., and Lyle, R. e. a. (2005). Genome-wide associations of gene expression variation in humans. *PLoS Genetics*, 1:695 – 704.
- [129] Strimmer, K. (2008). A unified approach to false discovery rate estimation. *BMC Bioinformatics*, 9(1):303.
- [130] Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B*, 58:267–288.
- [131] Turner, R. and Sahani, M. (2011). Two problems with variational expectation maximisation for time-series models. In Barber, D., Cemgil, T., and Chiappa, S., editors, *Bayesian Time series models*. Cambridge University Press.

- [132] Valpola, H. and Honkela, A. (2006). Hyperparameter adaptation in variational bayes for the gamma distribution. Technical report, Helsinki University of Technology.
- [133] van de Wiel, M., Leday, G., Pardo, L., Rue, H., van der Vaart, A., and van Wieringen, W. (2013a). Bayesian analysis of RNA sequencing data by estimating multiple shrinkage priors. *Biostatistics*, 14(1):113–128.
- [134] van de Wiel, M., Leday, G., Pardo, L., Rue, H., van der Vaart, A., and van Wieringen, W. (2013b). Bayesian analysis of RNA sequencing data by estimating multiple shrinkage priors. *Biostatistics*, 14:113 – 128.
- [135] van de Wiel, M., Te Beest, D., and Münch, M. (2018). Learning from a lot: Empirical bayes for high-dimensional model-based prediction. *Scandinavian Journal of Statistics*, pages 1–24.
- [136] van der Pas, S., Kleijn, B., and van der Vaart, A. (2014). The horseshoe estimator: Posterior concentration around nearly black vectors. *Electronic Journal of Statistics*, 8(2):2585–2618.
- [137] van der Pas, S., Szabó, B., and van der Vaart, A. (2017a). Adaptive posterior contraction rates for the horseshoe. *Electron. J. Stat.*, 11(2):3196–3225.
- [138] van der Pas, S., Szabó, B., and van der Vaart, A. (2017b). Uncertainty quantification for the horseshoe (with discussion). *Bayesian Anal.*, 12(4):1221–1274. With a rejoinder by the authors.
- [139] van Wieringen, W. and Peeters, C. (2016). Ridge estimation of inverse covariance matrices from high-dimensional data. *Computational Statistics & Data Analysis*, 103:284 – 303.
- [140] van Wieringen, W. N. and Peeters, C. F. W. (2014). Ridge estimation of inverse covariance matrices from high-dimensional data. *ArXiv e-prints*.
- [141] Wainwright, M. and Jordan, M. (2008). Graphical models, exponential families, and variational inference. *Foundations and Trends in Machine Learning*, 1(1-2):1–305.
- [142] Wand, M., Ormerod, J., Padoan, S., and Frühwirth, R. (2011). Mean field variational bayes for elaborate distributions. *Bayesian Analysis*, 6(4):847–900.
- [143] Wang, B. and Titterton, M. (2004). Inadequacy of interval estimates corresponding to variational bayesian approximations. In *Workshop on Artificial Intelligence and Statistics*.
- [144] Wang, H. and Li, S. Z. (2012). Efficient Gaussian graphical model determination under G -Wishart prior distributions. *Electron. J. Stat.*, 6:168–198.
- [145] Wang, Y. and Blei, D. (2017). Frequentist consistency of variational bayes. *arXiv preprint arXiv:1705.03439*.
- [146] Wang, Y. and et al. (2013). Integration of steady-state and temporal gene expression data for the inference of gene regulatory networks. *PLOS ONE*, 8(8):1–11.

- [147] Warton, D. I. (2008). Penalized normal likelihood and ridge regularization of correlation and covariance matrices. *J. Amer. Statist. Assoc.*, 103(481):340–349.
- [148] Weiner, I., Schmitt, N., and Highhouse, S. (2012). *Handbook of Psychology, Industrial and Organizational Psychology*, volume 12. John Wiley and Sons.
- [149] Werhli, A. and Husmeier, D. (2007). Reconstructing gene regulatory networks with bayesian networks by combining expression data with multiple sources of prior knowledge. *Stat Appl Genet Mol Biol*, 6.
- [150] West, M. (2003). Bayesian factor regression models in the “large p , small n ” paradigm. In *Bayesian statistics, 7 (Tenerife, 2002)*, pages 733–742. Oxford Univ. Press, New York.
- [151] Westling, T. and McCormick, T. (2015). Establishing consistency and improving uncertainty estimates of variational inference through m-estimation. *arXiv preprint arXiv:1510.08151*.
- [152] Whittaker, J. (1990). *Graphical models in applied multivariate statistics*. Wiley, Chichester.
- [153] Wilting, S. and et al. (2016). Aberrant methylation-mediated silencing of micrnas contributes to hpv-induced anchorage independence. *Oncotarget*, 7(28):43805.
- [154] Wu, Z. and et al. (2000). p38 and extracellular signal-regulated kinases regulate the myogenic program at multiple steps. *Mol. Cell. Biol.*, 20:3951–3964.
- [155] Yajima, M., Telesca, D., Ji, Y., and Muller, P. (2012). Differential patterns of interaction and gaussian graphical models. *COBRA Preprint Series*, (91).
- [156] Yang, E., Allen, G., Liu, Z., and Ravikumar, P. K. (2012). Graphical models via generalized linear models. In Pereira, F., Burges, C. J. C., Bottou, L., and Weinberger, K. Q., editors, *Advances in Neural Information Processing Systems 25*, pages 1358–1366. Curran Associates, Inc.
- [157] Yuan, M. (2010). High dimensional inverse covariance matrix estimation via linear programming. *J. Mach. Learn. Res.*, 11:2261–2286.
- [158] Yuan, M. and Lin, Y. (2007). Model selection and estimation in the Gaussian graphical model. *Biometrika*, 94(1):19–35.
- [159] Yuan, Y., Curtis, C., Caldas, C., and Markowitz, F. (2012). A sparse regulatory network of copy-number driven gene expression reveals putative breast cancer oncogenes. *IEEE/ACM Trans Comput Biol Bioinform*, 9(4):947–954.
- [160] Zellner, A. and Siow, A. (1980). Posterior odds ratios for selected regression hypotheses. In Bernardo, J. M., DeGroot, M. H., Lindley, D. V., and Smith, A. F. M., editors, *Bayesian statistics: Proceedings of the first international meeting held in Valencia (Spain)*, volume 1. Valencia: University Press.
- [161] Zetser, A., Gredinger, E., and Bengal, E. (1999). p38 mitogen-activated protein kinase pathway promotes skeletal muscle differentiation. participation of the mef2c transcription factor. *J. Biol. Chem.*, 274:5193–5200.

-
- [162] Zhang, B. and Horvath, S. (2005). A general framework for weighted gene co-expression network analysis. *Stat. Appl. Genet. Mol. Biol.*, 4:Art. 17, 45 pp.
- [163] Zhao, T., Liu, H., Roeder, K., Lafferty, J., and Wasserman, L. (2012). The huge package for high-dimensional undirected graph estimation in r. *J. Mach. Learn. Res.*, 13:1059 – 1062.
- [164] Zhou, S., Rütimann, P., Xu, M., and Bühlmann, P. (2011). High-dimensional covariance estimation based on Gaussian graphical models. *J. Mach. Learn. Res.*, 12:2975–3026.
- [165] Zhu, J., Zhang, B., Smith, E., Drees, B., Brem, R., Kruglyak, L., Bumgarner, R., and Schadt, E. (2008). Integrating large-scale functional genomic data to dissect the complexity of yeast regulatory networks. *Nature Genetics*, 40:854–861.