

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/67538> holds various files of this Leiden University dissertation.

**Author:** Snijders, H.J.

**Title:** Quantum dot microcavity control of photon statistics

**Issue Date:** 2018-12-20

# Quantum dot microcavity control of photon statistics

Proefschrift

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolker,

volgens besluit van het College voor Promoties

te verdedigen op donderdag 20 December 2018

klokke 10:00 uur

door

Hendrik Joannes Snijders

geboren te Delft

in 1990

Promotor: Prof. dr. D. Bouwmeester

Co-promotor: Dr. W. Löffler

Promotiecommissie: Dr. C. Bonato (Heriot-Watt University, Edinburgh, United Kingdom)

Dr. S.F. Pereira (Technische Universiteit Delft)

Prof. dr. E. R. Eliel

Prof. dr. M.P. van Exter

Prof. dr. G. Nienhuis

Prof. dr. M. A. G. J. Orrit

Casimir PhD series, Delft-Leiden, 2018-47

ISBN: 978.90.8593.377.9

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

Part of this research is supported by the NanoFront consortium, a program of the Netherlands Organization for Scientific Research (NWO) that is funded by the Dutch Ministry of Education, Culture and Science (OCW).

*Cover: The picture on the cover was made by Wolfgang Löffler and the cover was designed by BLAISED.*

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	A QD in a micropillar cavity . . . . .	2
1.2	Optical characteristics of a QD in a micropillar cavity . . . . .	3
1.3	Theoretical description of light-matter interaction . . . . .	4
1.4	Applications of light-matter interactions . . . . .	5
1.5	Outline of this thesis . . . . .	6
<b>2</b>	<b>Semi-classical model for cavity QED</b>	<b>7</b>
2.1	Jaynes–Cummings model for continuous-wave laser light . . . . .	8
2.2	Semi-classical model in the linear regime . . . . .	10
2.3	Classical derivation of the semi-classical model . . . . .	12
2.4	Polarization effects and multiple transitions in the semi-classical model . .	13
2.5	Single photons in the semi-classical model . . . . .	17
2.6	Conclusion . . . . .	21
2.7	Supplemental material . . . . .	22
<b>3</b>	<b>Quantum master model for cavity QED</b>	<b>27</b>
3.1	Quantum master equation . . . . .	28
3.1.1	Steady-state solution . . . . .	28
3.1.2	Time-dependent solution . . . . .	28
3.1.3	Spectral distribution of the emitted light . . . . .	29
3.2	Comparison of the quantum master equation with semi-classical models .	30
3.3	Quantum master simulations for quantum dot cavity QED . . . . .	32
3.3.1	Neutral exciton . . . . .	33
3.3.2	Biexciton . . . . .	36
3.3.3	Singly charged exciton . . . . .	38
3.3.4	Quantum master equation for a $\Lambda$ system . . . . .	39
3.4	Conclusion . . . . .	40
<b>4</b>	<b>Purification of a single photon non-linearity</b>	<b>41</b>
4.1	Introduction . . . . .	42
4.2	Device structure . . . . .	44
4.3	Theoretical model . . . . .	44
4.3.1	Transmission and photon correlations . . . . .	45
4.3.2	Estimation of model parameters . . . . .	45
4.4	Resonant photon correlation spectroscopy . . . . .	46

4.5	Discussion . . . . .	49
4.6	Supplemental material . . . . .	53
4.6.1	Detector response . . . . .	53
4.6.2	Photon correlations and cavity quality . . . . .	54
<b>5</b>	<b>Observation of the unconventional photon blockade</b>	<b>55</b>
5.1	Introduction . . . . .	56
5.2	Device and experimental setup . . . . .	57
5.3	Results . . . . .	60
5.4	Discussion . . . . .	62
<b>6</b>	<b>Squeezing of weak single-photon light</b>	<b>67</b>
6.1	Introduction . . . . .	68
6.2	Minimizing the second-order correlation $g^{(2)}(0)$ . . . . .	68
6.3	Amplitude squeezing . . . . .	69
6.4	Quadrature squeezing . . . . .	69
6.5	Quadrature squeezing and unconventional photon blockade . . . . .	76
<b>7</b>	<b>Fiber-coupled cavity QED source of identical single photons</b>	<b>79</b>
7.1	Introduction . . . . .	80
7.2	Device structure & fiber coupling . . . . .	81
7.3	Optical setup . . . . .	83
7.4	Transmission measurements . . . . .	84
7.5	Second-order correlation measurements . . . . .	87
7.6	Indistinguishability measurements . . . . .	87
7.7	Brightness measurements . . . . .	91
7.8	Conclusion . . . . .	92
7.9	Supplemental material . . . . .	93
7.9.1	System Parameters . . . . .	93
7.9.2	Detector response . . . . .	94
7.9.3	Cavity mode to fiber coupling efficiency . . . . .	95
	<b>Bibliography</b>	<b>96</b>
	<b>Samenvatting</b>	<b>107</b>
	<b>Curriculum Vitae</b>	<b>109</b>
	<b>List of publications</b>	<b>111</b>
	<b>Acknowledgements</b>	<b>113</b>